

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	162	5.6	162	3.7	162	21.6 16.7
9 - 11 Years	97	*	97	*	97	* *
12 - 14 years	103	9.7	103	2.9	103	19.4 30.1
15 - 19 Years	135	8.9	135	6.7	135	14.8 17.8
Total	497	7.0	497	4.0	497	18.5 20.9
Black, Not Hispanic						
5 - 8 Years	785	3.1	785	2.8	785	18.3 21.3
9 - 11 Years	478	3.1	478	1.3	478	17.8 24.5
12 - 14 years	529	4.5	529	1.5	529	20.8 24.0
15 - 19 Years	536	6.7	536	1.1	536	18.7 25.6
Total	2,328	4.3	2,328	1.8	2,328	18.9 23.5
Hispanic						
5 - 8 Years	2,249	4.0	2,249	1.5	2,249	20.3 26.3
9 - 11 Years	1,080	5.1	1,080	1.8	1,080	21.1 30.1
12 - 14 years	896	8.0	896	0.8	896	19.4 32.7
15 - 19 Years	724	12.8	724	2.2	724	20.7 25.3
Total	4,949	6.3	4,949	1.5	4,949	20.4 28.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaskan Native							
5 - 8 Years	10	*	10	*	10	*	*
9 - 11 Years	9	*	9	*	9	*	*
12 - 14 years	7	*	7	*	7	*	*
15 - 19 Years	6	*	6	*	6	*	*
Total	32	*	32	*	32	*	*
Asian							
5 - 8 Years	1,012	6.8	1,012	4.7	1,012	11.6	14.2
9 - 11 Years	733	7.2	733	5.0	733	15.8	14.2
12 - 14 years	894	7.7	894	3.6	894	14.9	12.4
15 - 19 Years	1,129	14.6	1,129	6.7	1,129	12.1	7.6
Total	3,768	9.4	3,768	5.1	3,768	13.3	11.8
Pacific Islander							
5 - 8 Years	30	*	30	*	30	*	*
9 - 11 Years	17	*	17	*	17	*	*
12 - 14 years	20	*	20	*	20	*	*
15 - 19 Years	15	*	15	*	15	*	*
Total	82	*	82	*	82	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	75	*	75	*	75	*
9 - 11 Years	41	*	41	*	41	*
12 - 14 years	34	*	34	*	34	*
15 - 19 Years	27	*	27	*	27	*
Total	177	7.3	177	3.4	177	13.0 19.8
All Other						
5 - 8 Years	1,875	4.7	1,875	3.1	1,875	17.9 20.9
9 - 11 Years	989	5.0	989	2.3	989	19.9 24.5
12 - 14 years	980	5.3	980	2.0	980	18.6 24.6
15 - 19 Years	951	10.5	951	3.4	951	15.4 21.2
Total	4,795	6.0	4,795	2.8	4,795	18.0 22.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	6,198	4.7	6,198	2.8	6,198	18.0 21.7
9 - 11 Years	3,444	5.2	3,444	2.6	3,444	19.0 24.2
12 - 14 years	3,463	6.6	3,463	2.1	3,463	18.2 23.5
15 - 19 Years	3,523	11.6	3,523	4.0	3,523	15.9 18.2
Total	16,628	6.7	16,628	2.9	16,628	17.8 21.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	5	*	5	*	5	*
Black, Not Hispanic						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*
Hispanic						
5 - 8 Years	12	*	12	*	12	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 years	6	*	6	*	6	*
15 - 19 Years	5	*	5	*	5	*
Total	26	*	26	*	26	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaskan Native							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	2	*	2	*	2	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	3	*	3	*	3	*	*
Asian							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Pacific Islander							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	3	*	3	*	3	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	19	*	19	*	19	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 years	10	*	10	*	10	*
15 - 19 Years	6	*	6	*	6	*
Total	40	*	40	*	40	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	51	*	51	*	51	*
9 - 11 Years	28	*	28	*	28	*
12 - 14 years	26	*	26	*	26	*
15 - 19 Years	16	*	16	*	16	*
Total	121	4.1	121	2.5	121	18.2 19.8
Black, Not Hispanic						
5 - 8 Years	4	*	4	*	4	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 years	4	*	4	*	4	*
15 - 19 Years	1	*	1	*	1	*
Total	13	*	13	*	13	*
Hispanic						
5 - 8 Years	24	*	24	*	24	*
9 - 11 Years	12	*	12	*	12	*
12 - 14 years	12	*	12	*	12	*
15 - 19 Years	18	*	18	*	18	*
Total	66	*	66	*	66	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaskan Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Asian							
5 - 8 Years	2	*	2	*	2	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 years	2	*	2	*	2	*	*
15 - 19 Years	5	*	5	*	5	*	*
Total	10	*	10	*	10	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	15	*	15	*	15	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 years	5	*	5	*	5	*
15 - 19 Years	6	*	6	*	6	*
Total	33	*	33	*	33	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	96	*	96	*	96	*
9 - 11 Years	52	*	52	*	52	*
12 - 14 years	49	*	49	*	49	*
15 - 19 Years	46	*	46	*	46	*
Total	243	7.4	243	4.1	243	19.8 21.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	604	4.6	604	1.3	604	18.5 14.4
9 - 11 Years	257	3.1	257	4.3	257	20.2 24.9
12 - 14 years	340	6.5	340	1.2	340	19.1 26.8
15 - 19 Years	268	6.3	268	0.7	268	21.6 23.5
Total	1,469	5.1	1,469	1.7	1,469	19.5 20.8
Black, Not Hispanic						
5 - 8 Years	53	*	53	*	53	* *
9 - 11 Years	31	*	31	*	31	* *
12 - 14 years	29	*	29	*	29	* *
15 - 19 Years	34	*	34	*	34	* *
Total	147	4.8	147	2.7	147	21.8 18.4
Hispanic						
5 - 8 Years	200	4.0	200	2.5	200	18.5 31.5
9 - 11 Years	98	*	98	*	98	* *
12 - 14 years	85	*	85	*	85	* *
15 - 19 Years	92	*	92	*	92	* *
Total	475	6.5	475	2.3	475	20.4 29.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	25	*	25	*	25	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 years	8	*	8	*	8	*
15 - 19 Years	6	*	6	*	6	*
Total	48	*	48	*	48	*
Asian						
5 - 8 Years	62	*	62	*	62	*
9 - 11 Years	33	*	33	*	33	*
12 - 14 years	36	*	36	*	36	*
15 - 19 Years	47	*	47	*	47	*
Total	178	21.9	178	1.1	178	17.4 18.5
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	10	*	10	*	10	*
All Other						
5 - 8 Years	121	9.9	121	2.5	121	13.2
9 - 11 Years	74	*	74	*	74	*
12 - 14 years	56	*	56	*	56	*
15 - 19 Years	47	*	47	*	47	*
Total	298	7.0	298	2.3	298	15.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	1,068	6.2	1,068	2.0	1,068	17.9
9 - 11 Years	507	4.3	507	3.7	507	21.1
12 - 14 years	555	6.7	555	0.7	555	18.9
15 - 19 Years	497	10.7	497	1.4	497	20.1
Total	2,627	6.8	2,627	1.9	2,627	19.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	27	*	27	*	27	* *
9 - 11 Years	16	*	16	*	16	* *
12 - 14 years	16	*	16	*	16	* *
15 - 19 Years	8	*	8	*	8	* *
Total	67	*	67	*	67	* *
Black, Not Hispanic						
5 - 8 Years	1	*	1	*	1	* *
9 - 11 Years	5	*	5	*	5	* *
12 - 14 years	2	*	2	*	2	* *
15 - 19 Years	0	*	0	*	0	* *
Total	8	*	8	*	8	* *
Hispanic						
5 - 8 Years	158	1.3	158	1.3	158	17.7 29.1
9 - 11 Years	72	*	72	*	72	* *
12 - 14 years	63	*	63	*	63	* *
15 - 19 Years	58	*	58	*	58	* *
Total	351	4.6	351	0.9	351	20.8 27.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaskan Native							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	1	*	1	*	1	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	3	*	3	*	3	*	*
Asian							
5 - 8 Years	5	*	5	*	5	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	2	*	2	*	2	*	*
15 - 19 Years	4	*	4	*	4	*	*
Total	11	*	11	*	11	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*
All Other						
5 - 8 Years	85	*	85	*	85	*
9 - 11 Years	46	*	46	*	46	*
12 - 14 years	41	*	41	*	41	*
15 - 19 Years	30	*	30	*	30	*
Total	202	5.0	202	3.5	202	17.8 16.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	277	2.2	277	2.9	277	19.1 20.2
9 - 11 Years	140	7.9	140	2.9	140	17.1 23.6
12 - 14 years	125	4.0	125	0.8	125	19.2 28.0
15 - 19 Years	102	7.8	102	0.0	102	20.6 21.6
Total	644	4.7	644	2.0	644	18.9 22.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*
Black, Not Hispanic						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	2	*	2	*	2	*
Total	3	*	3	*	3	*
Hispanic						
5 - 8 Years	11	*	11	*	11	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 years	5	*	5	*	5	*
15 - 19 Years	2	*	2	*	2	*
Total	24	*	24	*	24	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 years	0	*	0	*	0	* *
15 - 19 Years	0	*	0	*	0	* *
Total	0	*	0	*	0	* *
All Other						
5 - 8 Years	7	*	7	*	7	* *
9 - 11 Years	6	*	6	*	6	* *
12 - 14 years	8	*	8	*	8	* *
15 - 19 Years	11	*	11	*	11	* *
Total	32	*	32	*	32	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	21	*	21	*	21	*
9 - 11 Years	12	*	12	*	12	*
12 - 14 years	13	*	13	*	13	*
15 - 19 Years	16	*	16	*	16	*
Total	62	*	62	*	62	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	18	*	18	*	18	*
9 - 11 Years	12	*	12	*	12	*
12 - 14 years	18	*	18	*	18	*
15 - 19 Years	11	*	11	*	11	*
Total	59	*	59	*	59	*
Black, Not Hispanic						
5 - 8 Years	13	*	13	*	13	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	6	*	6	*	6	*
Total	29	*	29	*	29	*
Hispanic						
5 - 8 Years	163	2.5	163	4.3	163	16.6
9 - 11 Years	62	*	62	*	62	*
12 - 14 years	78	*	78	*	78	*
15 - 19 Years	61	*	61	*	61	*
Total	364	5.2	364	2.5	364	17.3 25.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*
Asian						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	2	*	2	*	2	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 years	0	*	0	*	0	* *
15 - 19 Years	0	*	0	*	0	* *
Total	2	*	2	*	2	* *
All Other						
5 - 8 Years	47	*	47	*	47	* *
9 - 11 Years	24	*	24	*	24	* *
12 - 14 years	20	*	20	*	20	* *
15 - 19 Years	24	*	24	*	24	* *
Total	115	7.0	115	2.6	115	13.9 27.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	244	3.7	244	3.3	244	15.6 21.3
9 - 11 Years	106	4.7	106	2.8	106	17.0 29.2
12 - 14 years	121	8.3	121	2.5	121	18.2 32.2
15 - 19 Years	104	11.5	104	1.0	104	14.4 25.0
Total	575	6.3	575	2.6	575	16.2 25.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	232	3.0	232	3.4	232	18.5 21.6
9 - 11 Years	138	0.7	138	3.6	138	13.0 23.9
12 - 14 years	145	6.9	145	1.4	145	20.0 26.9
15 - 19 Years	148	2.0	148	4.1	148	15.5 25.0
Total	663	3.2	663	3.2	663	17.0 24.0
Black, Not Hispanic						
5 - 8 Years	390	2.1	390	2.8	390	17.4 17.7
9 - 11 Years	276	5.1	276	1.8	276	20.3 26.1
12 - 14 years	310	2.9	310	1.0	310	21.0 26.1
15 - 19 Years	309	6.8	309	1.0	309	18.4 24.9
Total	1,285	4.0	1,285	1.7	1,285	19.1 23.3
Hispanic						
5 - 8 Years	1,175	4.2	1,175	1.5	1,175	19.1 27.2
9 - 11 Years	531	4.7	531	0.8	531	20.9 34.1
12 - 14 years	452	8.2	452	0.7	452	23.7 31.0
15 - 19 Years	390	11.3	390	2.3	390	18.7 27.2
Total	2,548	6.1	2,548	1.3	2,548	20.3 29.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	4	*	4	*	4	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	0	*	0	*	0	*
Total	11	*	11	*	11	*
Asian						
5 - 8 Years	40	*	40	*	40	*
9 - 11 Years	29	*	29	*	29	*
12 - 14 years	37	*	37	*	37	*
15 - 19 Years	46	*	46	*	46	*
Total	152	13.2	152	6.6	152	9.9 25.0
Pacific Islander						
5 - 8 Years	17	*	17	*	17	*
9 - 11 Years	8	*	8	*	8	*
12 - 14 years	5	*	5	*	5	*
15 - 19 Years	14	*	14	*	14	*
Total	44	*	44	*	44	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	27	*	27	*	27	*
9 - 11 Years	15	*	15	*	15	*
12 - 14 years	17	*	17	*	17	*
15 - 19 Years	15	*	15	*	15	*
Total	74	*	74	*	74	*
All Other						
5 - 8 Years	695	6.6	695	2.7	695	18.7
9 - 11 Years	363	4.1	363	2.8	363	27.5
12 - 14 years	351	6.8	351	3.4	351	24.5
15 - 19 Years	325	10.8	325	3.4	325	22.2
Total	1,734	6.9	1,734	3.0	1,734	22.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	2,580	4.7	2,580	2.5	2,580	18.6 23.0
9 - 11 Years	1,364	4.2	1,364	1.9	1,364	18.9 29.1
12 - 14 years	1,320	6.6	1,320	1.7	1,320	20.5 27.3
15 - 19 Years	1,247	9.2	1,247	2.5	1,247	17.5 25.2
Total	6,511	5.9	6,511	2.2	6,511	18.8 25.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	46	*	46	*	46	*
9 - 11 Years	27	*	27	*	27	*
12 - 14 years	19	*	19	*	19	*
15 - 19 Years	21	*	21	*	21	*
Total	113	4.4	113	1.8	113	16.8 22.1
Black, Not Hispanic						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	3	*	3	*	3	*
Hispanic						
5 - 8 Years	22	*	22	*	22	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 years	6	*	6	*	6	*
15 - 19 Years	3	*	3	*	3	*
Total	35	*	35	*	35	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	22	*	22	*	22	* *
9 - 11 Years	5	*	5	*	5	* *
12 - 14 years	4	*	4	*	4	* *
15 - 19 Years	5	*	5	*	5	* *
Total	36	*	36	*	36	* *
Asian						
5 - 8 Years	14	*	14	*	14	* *
9 - 11 Years	9	*	9	*	9	* *
12 - 14 years	4	*	4	*	4	* *
15 - 19 Years	4	*	4	*	4	* *
Total	31	*	31	*	31	* *
Pacific Islander						
5 - 8 Years	0	*	0	*	0	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 years	0	*	0	*	0	* *
15 - 19 Years	0	*	0	*	0	* *
Total	0	*	0	*	0	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*
All Other						
5 - 8 Years	14	*	14	*	14	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 years	4	*	4	*	4	*
15 - 19 Years	3	*	3	*	3	*
Total	28	*	28	*	28	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	121	5.8	121	0.8	121	23.1	24.0
9 - 11 Years	54	*	54	*	54	*	*
12 - 14 years	37	*	37	*	37	*	*
15 - 19 Years	37	*	37	*	37	*	*
Total	249	4.0	249	1.2	249	22.1	24.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	142	4.2	142	5.6	142	16.2 9.2
9 - 11 Years	71	*	71	*	71	* *
12 - 14 years	77	*	77	*	77	* *
15 - 19 Years	75	*	75	*	75	* *
Total	365	5.5	365	3.6	365	16.7 13.2
Black, Not Hispanic						
5 - 8 Years	3	*	3	*	3	* *
9 - 11 Years	3	*	3	*	3	* *
12 - 14 years	4	*	4	*	4	* *
15 - 19 Years	8	*	8	*	8	* *
Total	18	*	18	*	18	* *
Hispanic						
5 - 8 Years	128	4.7	128	4.7	128	20.3 13.3
9 - 11 Years	51	*	51	*	51	* *
12 - 14 years	46	*	46	*	46	* *
15 - 19 Years	41	*	41	*	41	* *
Total	266	8.3	266	3.0	266	19.2 21.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaskan Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	2	*	2	*	2	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	3	*	3	*	3	*	*
Asian							
5 - 8 Years	2	*	2	*	2	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	3	*	3	*	3	*	*
Pacific Islander							
5 - 8 Years	2	*	2	*	2	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	3	*	3	*	3	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	2	*	2	*	2	*
Total	3	*	3	*	3	*
All Other						
5 - 8 Years	102	11.8	102	2.0	102	17.6
9 - 11 Years	45	*	45	*	45	*
12 - 14 years	47	*	47	*	47	*
15 - 19 Years	49	*	49	*	49	*
Total	243	9.5	243	3.3	243	19.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	379	6.3	379	4.2	379	18.2 11.9
9 - 11 Years	173	6.9	173	2.3	173	14.5 22.5
12 - 14 years	175	6.9	175	1.7	175	18.3 17.1
15 - 19 Years	177	10.7	177	4.0	177	20.9 20.3
Total	904	7.4	904	3.3	904	18.0 16.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	1,305	3.8	1,305	2.8	1,305	18.4 20.8
9 - 11 Years	629	2.9	629	3.2	629	19.7 22.3
12 - 14 years	599	6.0	599	3.0	599	17.9 22.4
15 - 19 Years	545	7.0	545	2.9	545	20.7 21.8
Total	3,078	4.6	3,078	2.9	3,078	19.0 21.6
Black, Not Hispanic						
5 - 8 Years	715	2.9	715	1.5	715	17.1 15.5
9 - 11 Years	442	3.2	442	2.0	442	16.3 23.1
12 - 14 years	470	4.9	470	1.5	470	22.1 20.9
15 - 19 Years	500	8.2	500	1.6	500	21.2 24.4
Total	2,127	4.7	2,127	1.6	2,127	19.0 20.4
Hispanic						
5 - 8 Years	9,749	5.3	9,749	1.9	9,749	18.0 24.9
9 - 11 Years	5,164	4.5	5,164	1.8	5,164	19.9 31.7
12 - 14 years	4,726	7.0	4,726	1.3	4,726	19.7 29.1
15 - 19 Years	4,235	11.4	4,235	1.6	4,235	18.9 26.2
Total	23,874	6.6	23,874	1.7	23,874	18.9 27.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	84	*	84	*	84	*
9 - 11 Years	33	*	33	*	33	*
12 - 14 years	28	*	28	*	28	*
15 - 19 Years	28	*	28	*	28	*
Total	173	4.6	173	1.2	173	12.7 35.8
Asian						
5 - 8 Years	976	19.7	976	4.1	976	12.9 14.8
9 - 11 Years	641	16.1	641	3.4	641	15.9 18.7
12 - 14 years	900	19.6	900	2.1	900	15.8 18.6
15 - 19 Years	1,178	31.0	1,178	2.9	1,178	13.1 19.3
Total	3,695	22.6	3,695	3.1	3,695	14.2 17.8
Pacific Islander						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	0	*	0	*	0	*
Total	16	*	16	*	16	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	15	*	15	*	15	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 years	8	*	8	*	8	*
15 - 19 Years	5	*	5	*	5	*
Total	34	*	34	*	34	*
All Other						
5 - 8 Years	1,541	7.5	1,541	3.6	1,541	17.4
9 - 11 Years	750	6.4	750	2.8	750	20.4
12 - 14 years	790	7.8	790	2.2	790	16.8
15 - 19 Years	632	10.1	632	3.3	632	17.2
Total	3,713	7.8	3,713	3.1	3,713	17.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	14,392	6.3	14,392	2.3	14,392	17.5	22.8
9 - 11 Years	7,671	5.4	7,671	2.2	7,671	19.4	28.6
12 - 14 years	7,524	8.4	7,524	1.6	7,524	18.9	26.5
15 - 19 Years	7,123	14.0	7,123	2.1	7,123	18.1	24.1
Total	36,710	8.0	36,710	2.1	36,710	18.3	25.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	47	*	47	*	47	*
9 - 11 Years	22	*	22	*	22	*
12 - 14 years	16	*	16	*	16	*
15 - 19 Years	15	*	15	*	15	*
Total	100	3.0	100	7.0	100	13.0 24.0
Black, Not Hispanic						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	3	*	3	*	3	*
Total	7	*	7	*	7	*
Hispanic						
5 - 8 Years	144	9.7	144	1.4	144	18.8 25.0
9 - 11 Years	77	*	77	*	77	*
12 - 14 years	68	*	68	*	68	*
15 - 19 Years	69	*	69	*	69	*
Total	358	10.6	358	1.4	358	20.4 33.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaskan Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	2	*	2	*	2	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	*
Asian							
5 - 8 Years	3	*	3	*	3	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	4	*	4	*	4	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	16	*	16	*	16	*	*
9 - 11 Years	12	*	12	*	12	*	*
12 - 14 years	2	*	2	*	2	*	*
15 - 19 Years	5	*	5	*	5	*	*
Total	35	*	35	*	35	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	213	8.5	213	1.9	213	16.9 23.0
9 - 11 Years	113	3.5	113	4.4	113	14.2 46.0
12 - 14 years	88	*	88	*	88	* *
15 - 19 Years	92	*	92	*	92	* *
Total	506	8.5	506	2.6	506	18.4 30.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
White, Not Hispanic						
5 - 8 Years	142	2.1	142	2.1	142	19.0
9 - 11 Years	58	*	58	*	58	*
12 - 14 years	56	*	56	*	56	*
15 - 19 Years	59	*	59	*	59	*
Total	315	4.1	315	1.6	315	20.3
Black, Not Hispanic						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	7	*	7	*	7	*
Hispanic						
5 - 8 Years	40	*	40	*	40	*
9 - 11 Years	22	*	22	*	22	*
12 - 14 years	20	*	20	*	20	*
15 - 19 Years	19	*	19	*	19	*
Total	101	6.9	101	1.0	101	20.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	49	*	49	*	49	*
9 - 11 Years	30	*	30	*	30	*
12 - 14 years	21	*	21	*	21	*
15 - 19 Years	25	*	25	*	25	*
Total	125	4.0	125	2.4	125	31.2 16.8
Asian						
5 - 8 Years	9	*	9	*	9	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 years	5	*	5	*	5	*
15 - 19 Years	0	*	0	*	0	*
Total	18	*	18	*	18	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	152	7.2	152	3.9	152	10.5
9 - 11 Years	97	*	97	*	97	*
12 - 14 years	69	*	69	*	69	*
15 - 19 Years	55	*	55	*	55	*
Total	373	6.4	373	1.9	373	17.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	396	5.1	396	3.0	396	18.7 14.4
9 - 11 Years	213	6.1	213	0.0	213	23.5 23.9
12 - 14 years	172	5.2	172	1.7	172	26.2 23.8
15 - 19 Years	159	5.0	159	1.3	159	24.5 22.6
Total	940	5.3	940	1.8	940	22.1 19.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	33	*	33	*	33	*
9 - 11 Years	24	*	24	*	24	*
12 - 14 years	20	*	20	*	20	*
15 - 19 Years	28	*	28	*	28	*
Total	105	4.8	105	4.8	105	14.3 23.8
Black, Not Hispanic						
5 - 8 Years	13	*	13	*	13	*
9 - 11 Years	8	*	8	*	8	*
12 - 14 years	15	*	15	*	15	*
15 - 19 Years	13	*	13	*	13	*
Total	49	*	49	*	49	*
Hispanic						
5 - 8 Years	1,388	3.0	1,388	3.7	1,388	16.3 21.7
9 - 11 Years	601	3.8	601	3.2	601	20.0 33.1
12 - 14 years	681	5.1	681	2.3	681	21.3 28.5
15 - 19 Years	499	6.4	499	1.4	499	19.4 19.2
Total	3,169	4.2	3,169	2.9	3,169	18.6 24.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	2	*	2	*	2	*
Total	7	*	7	*	7	*
Asian						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	6	*	6	*	6	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	0	*	0	*	0	*
Total	8	*	8	*	8	*
All Other						
5 - 8 Years	26	*	26	*	26	*
9 - 11 Years	17	*	17	*	17	*
12 - 14 years	18	*	18	*	18	*
15 - 19 Years	13	*	13	*	13	*
Total	74	*	74	*	74	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	1,465	3.0	1,465	3.7	1,465	16.6 21.2
9 - 11 Years	656	4.0	656	3.2	656	19.4 32.9
12 - 14 years	740	5.1	740	2.3	740	21.2 28.2
15 - 19 Years	558	6.1	558	1.4	558	19.2 19.5
Total	3,419	4.2	3,419	2.9	3,419	18.5 24.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	12	*	12	*	12	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 years	15	*	15	*	15	*
15 - 19 Years	6	*	6	*	6	*
Total	39	*	39	*	39	*
Black, Not Hispanic						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	0	*	0	*	0	*
Total	6	*	6	*	6	*
Hispanic						
5 - 8 Years	42	*	42	*	42	*
9 - 11 Years	21	*	21	*	21	*
12 - 14 years	28	*	28	*	28	*
15 - 19 Years	18	*	18	*	18	*
Total	109	4.6	109	2.8	109	19.3 20.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	15	*	15	*	15	*
9 - 11 Years	18	*	18	*	18	*
12 - 14 years	17	*	17	*	17	*
15 - 19 Years	16	*	16	*	16	*
Total	66	*	66	*	66	*
Asian						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	2	*	2	*	2	*
Total	2	*	2	*	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	73	*	73	*	73	*
9 - 11 Years	47	*	47	*	47	*
12 - 14 years	62	*	62	*	62	*
15 - 19 Years	42	*	42	*	42	*
Total	224	4.5	224	2.7	224	18.3 24.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	852	5.8	852	4.0	852	15.6 12.8
9 - 11 Years	449	5.3	449	3.6	449	16.0 24.7
12 - 14 years	530	5.8	530	2.6	530	17.4 23.4
15 - 19 Years	430	5.6	430	2.6	430	16.0 20.5
Total	2,261	5.7	2,261	3.3	2,261	16.2 19.1
Black, Not Hispanic						
5 - 8 Years	471	1.7	471	6.2	471	13.0 15.5
9 - 11 Years	239	2.5	239	2.5	239	15.1 22.6
12 - 14 years	290	3.8	290	1.4	290	16.9 24.8
15 - 19 Years	318	5.0	318	1.3	318	17.6 21.4
Total	1,318	3.1	1,318	3.3	1,318	15.3 20.3
Hispanic						
5 - 8 Years	5,928	4.4	5,928	3.4	5,928	16.3 21.2
9 - 11 Years	2,879	3.7	2,879	1.7	2,879	19.0 31.6
12 - 14 years	2,955	5.3	2,955	1.4	2,955	19.7 28.6
15 - 19 Years	2,274	9.5	2,274	1.8	2,274	19.0 23.7
Total	14,036	5.3	14,036	2.4	14,036	18.0 25.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	8	*	8	*	8	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	6	*	6	*	6	*
Total	23	*	23	*	23	*
Asian						
5 - 8 Years	22	*	22	*	22	*
9 - 11 Years	14	*	14	*	14	*
12 - 14 years	22	*	22	*	22	*
15 - 19 Years	9	*	9	*	9	*
Total	67	*	67	*	67	*
Pacific Islander						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	4	*	4	*	4	*
Total	14	*	14	*	14	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	43	*	43	*	43	*
9 - 11 Years	22	*	22	*	22	*
12 - 14 years	19	*	19	*	19	*
15 - 19 Years	35	*	35	*	35	*
Total	119	12.6	119	1.7	119	23.5
All Other						
5 - 8 Years	561	5.0	561	7.5	561	14.1
9 - 11 Years	274	4.0	274	1.8	274	28.5
12 - 14 years	283	4.6	283	2.8	283	25.8
15 - 19 Years	189	8.5	189	3.2	189	24.9
Total	1,307	5.2	1,307	4.7	1,307	21.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	7,890	4.4	7,890	3.9	7,890	15.8 19.4
9 - 11 Years	3,886	3.8	3,886	2.0	3,886	18.1 30.0
12 - 14 years	4,104	5.3	4,104	1.7	4,104	19.1 27.3
15 - 19 Years	3,265	8.6	3,265	2.0	3,265	18.1 23.0
Total	19,145	5.2	19,145	2.7	19,145	17.4 23.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	53	*	53	*	53	*
9 - 11 Years	29	*	29	*	29	*
12 - 14 years	29	*	29	*	29	*
15 - 19 Years	28	*	28	*	28	*
Total	139	5.0	139	1.4	139	12.9 20.1
Black, Not Hispanic						
5 - 8 Years	22	*	22	*	22	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 years	20	*	20	*	20	*
15 - 19 Years	20	*	20	*	20	*
Total	67	*	67	*	67	*
Hispanic						
5 - 8 Years	507	5.9	507	3.4	507	18.1 20.7
9 - 11 Years	243	3.7	243	3.7	243	18.5 33.3
12 - 14 years	265	8.3	265	1.9	265	16.6 29.8
15 - 19 Years	223	8.1	223	0.9	223	21.5 23.8
Total	1,238	6.4	1,238	2.7	1,238	18.5 25.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	1	*	1	*	1	*
Total	6	*	6	*	6	*
Asian						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	2	*	2	*	2	*
Total	7	*	7	*	7	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	2	*	2	*	2	*
Total	5	*	5	*	5	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	3	*	3	*	3	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 years	2	*	2	*	2	* *
15 - 19 Years	2	*	2	*	2	* *
Total	7	*	7	*	7	* *
All Other						
5 - 8 Years	92	*	92	*	92	* *
9 - 11 Years	35	*	35	*	35	* *
12 - 14 years	49	*	49	*	49	* *
15 - 19 Years	42	*	42	*	42	* *
Total	218	5.5	218	4.6	218	23.4 24.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	681	5.4	681	4.1	681	18.2 21.1
9 - 11 Years	315	4.4	315	2.9	315	18.4 29.5
12 - 14 years	371	7.8	371	1.3	371	18.3 27.5
15 - 19 Years	320	6.6	320	1.6	320	20.0 22.8
Total	1,687	6.0	1,687	2.8	1,687	18.6 24.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	101	5.9	101	1.0	101	12.9 17.8
9 - 11 Years	69	*	69	*	69	* *
12 - 14 years	66	*	66	*	66	* *
15 - 19 Years	122	8.2	122	1.6	122	18.9 24.6
Total	358	6.1	358	1.7	358	15.9 21.2
Black, Not Hispanic						
5 - 8 Years	79	*	79	*	79	* *
9 - 11 Years	71	*	71	*	71	* *
12 - 14 years	116	5.2	116	1.7	116	21.6 27.6
15 - 19 Years	175	1.7	175	2.3	175	17.7 21.7
Total	441	2.5	441	2.5	441	18.6 22.0
Hispanic						
5 - 8 Years	6,520	5.1	6,520	2.7	6,520	14.8 19.8
9 - 11 Years	4,705	3.2	4,705	1.8	4,705	16.5 20.8
12 - 14 years	5,087	5.0	5,087	1.4	5,087	17.3 20.1
15 - 19 Years	5,543	9.3	5,543	1.8	5,543	18.0 16.6
Total	21,855	5.8	21,855	2.0	21,855	16.5 19.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	4	*	4	*	4	*
15 - 19 Years	4	*	4	*	4	*
Total	10	*	10	*	10	*
Asian						
5 - 8 Years	160	6.3	160	8.1	160	11.3
9 - 11 Years	84	*	84	*	84	*
12 - 14 years	115	7.0	115	6.1	115	9.6
15 - 19 Years	113	15.9	113	5.3	113	10.6
Total	472	8.9	472	7.2	472	10.4
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	4	*	4	*	4	*
Total	9	*	9	*	9	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	30	*	30	*	30	*
9 - 11 Years	14	*	14	*	14	*
12 - 14 years	25	*	25	*	25	*
15 - 19 Years	11	*	11	*	11	*
Total	80	*	80	*	80	*
All Other						
5 - 8 Years	264	5.3	264	2.7	264	16.3
9 - 11 Years	143	7.0	143	1.4	143	26.6
12 - 14 years	156	10.3	156	4.5	156	14.7
15 - 19 Years	165	13.9	165	2.4	165	20.6
Total	728	8.7	728	2.7	728	19.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	7,156	5.1	7,156	2.8	7,156	14.8	19.3
9 - 11 Years	5,089	3.3	5,089	2.0	5,089	16.5	20.8
12 - 14 years	5,571	5.3	5,571	1.6	5,571	17.2	20.2
15 - 19 Years	6,137	9.3	6,137	1.9	6,137	17.9	16.8
Total	23,953	5.9	23,953	2.1	23,953	16.5	19.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	164	4.3	164	4.9	164	14.6 17.7
9 - 11 Years	124	5.6	124	5.6	124	16.9 18.5
12 - 14 years	103	3.9	103	3.9	103	19.4 19.4
15 - 19 Years	118	8.5	118	2.5	118	20.3 13.6
Total	509	5.5	509	4.3	509	17.5 17.3
Black, Not Hispanic						
5 - 8 Years	88	*	88	*	88	* *
9 - 11 Years	69	*	69	*	69	* *
12 - 14 years	85	*	85	*	85	* *
15 - 19 Years	122	4.1	122	0.8	122	18.9 14.8
Total	364	2.5	364	3.0	364	17.6 17.9
Hispanic						
5 - 8 Years	3,122	4.9	3,122	3.8	3,122	18.0 22.1
9 - 11 Years	2,341	4.2	2,341	2.0	2,341	21.1 28.1
12 - 14 years	2,411	6.4	2,411	1.5	2,411	21.4 23.6
15 - 19 Years	4,215	19.8	4,215	1.5	4,215	18.1 16.0
Total	12,089	10.2	12,089	2.2	12,089	19.3 21.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	5	*	5	*	5	*
Total	9	*	9	*	9	*
Asian						
5 - 8 Years	43	*	43	*	43	*
9 - 11 Years	25	*	25	*	25	*
12 - 14 years	22	*	22	*	22	*
15 - 19 Years	29	*	29	*	29	*
Total	119	7.6	119	1.7	119	17.6 6.7
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	2	*	2	*	2	*
Total	6	*	6	*	6	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	14	*	14	*	14	*
9 - 11 Years	15	*	15	*	15	*
12 - 14 years	17	*	17	*	17	*
15 - 19 Years	11	*	11	*	11	*
Total	57	*	57	*	57	*
All Other						
5 - 8 Years	364	7.4	364	3.6	364	17.6
9 - 11 Years	214	5.1	214	3.3	214	12.6
12 - 14 years	176	10.8	176	4.5	176	22.7
15 - 19 Years	213	9.9	213	3.3	213	14.1
Total	967	8.1	967	3.6	967	16.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	3,798	5.1	3,798	3.9	3,798	17.8 21.5
9 - 11 Years	2,789	4.3	2,789	2.3	2,789	19.9 27.2
12 - 14 years	2,818	6.4	2,818	1.9	2,818	21.3 22.2
15 - 19 Years	4,715	18.6	4,715	1.6	4,715	18.0 15.9
Total	14,120	9.7	14,120	2.4	14,120	19.0 20.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	908	4.1	908	4.7	908	17.4 18.2
9 - 11 Years	543	2.9	543	2.9	543	18.6 22.5
12 - 14 years	612	4.4	612	3.4	612	19.0 21.4
15 - 19 Years	581	6.2	581	3.1	581	16.0 17.2
Total	2,644	4.4	2,644	3.7	2,644	17.7 19.6
Black, Not Hispanic						
5 - 8 Years	2,225	2.7	2,225	3.5	2,225	17.2 16.9
9 - 11 Years	1,345	2.8	1,345	2.4	1,345	17.8 25.0
12 - 14 years	1,345	3.7	1,345	1.6	1,345	18.0 25.9
15 - 19 Years	1,374	6.0	1,374	2.5	1,374	15.7 23.0
Total	6,289	3.7	6,289	2.6	6,289	17.2 21.9
Hispanic						
5 - 8 Years	29,425	3.8	29,425	2.7	29,425	17.8 24.3
9 - 11 Years	15,499	3.3	15,499	2.0	15,499	20.6 31.8
12 - 14 years	15,011	5.2	15,011	1.5	15,011	20.7 29.7
15 - 19 Years	13,190	9.8	13,190	1.9	13,190	19.8 24.4
Total	73,125	5.1	73,125	2.2	73,125	19.3 27.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	20	*	20	*	20	*
9 - 11 Years	13	*	13	*	13	*
12 - 14 years	23	*	23	*	23	*
15 - 19 Years	26	*	26	*	26	*
Total	82	*	82	*	82	*
Asian						
5 - 8 Years	965	6.8	965	5.9	965	11.5
9 - 11 Years	631	5.2	631	5.2	631	19.8
12 - 14 years	666	5.7	666	4.2	666	13.2
15 - 19 Years	752	8.6	752	5.3	752	13.6
Total	3,014	6.7	3,014	5.2	3,014	14.1
Pacific Islander						
5 - 8 Years	36	*	36	*	36	*
9 - 11 Years	25	*	25	*	25	*
12 - 14 years	27	*	27	*	27	*
15 - 19 Years	17	*	17	*	17	*
Total	105	3.8	105	1.9	105	16.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	189	9.0	189	5.3	189	14.3 19.0
9 - 11 Years	93	*	93	*	93	* *
12 - 14 years	94	*	94	*	94	* *
15 - 19 Years	111	16.2	111	5.4	111	16.2 14.4
Total	487	10.3	487	3.7	487	16.8 18.7
All Other						
5 - 8 Years	2,695	5.2	2,695	4.2	2,695	17.3 20.4
9 - 11 Years	1,518	4.6	1,518	2.8	1,518	18.1 26.9
12 - 14 years	1,470	6.0	1,470	2.8	1,470	20.1 25.7
15 - 19 Years	1,296	8.8	1,296	2.8	1,296	18.5 21.4
Total	6,979	5.9	6,979	3.3	6,979	18.3 23.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	36,463	3.9	36,463	3.0	36,463	17.5 23.1
9 - 11 Years	19,667	3.5	19,667	2.2	19,667	20.1 30.2
12 - 14 years	19,248	5.2	19,248	1.8	19,248	20.1 28.2
15 - 19 Years	17,347	9.3	17,347	2.3	17,347	18.9 23.1
Total	92,725	5.1	92,725	2.4	92,725	18.9 25.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	174	3.4	174	2.3	174	16.7 12.6
9 - 11 Years	72	*	72	*	72	* *
12 - 14 years	71	*	71	*	71	* *
15 - 19 Years	63	*	63	*	63	* *
Total	380	3.7	380	2.9	380	16.6 13.7
Black, Not Hispanic						
5 - 8 Years	738	3.8	738	3.4	738	16.1 14.4
9 - 11 Years	380	3.7	380	1.8	380	14.7 22.4
12 - 14 years	418	6.5	418	3.1	418	19.1 20.1
15 - 19 Years	509	10.0	509	2.2	509	14.7 24.4
Total	2,045	5.9	2,045	2.7	2,045	16.1 19.5
Hispanic						
5 - 8 Years	9,092	4.1	9,092	2.0	9,092	18.6 17.6
9 - 11 Years	4,946	3.5	4,946	1.6	4,946	20.8 21.4
12 - 14 years	4,868	6.9	4,868	1.3	4,868	17.3 19.7
15 - 19 Years	7,892	22.7	7,892	1.4	7,892	17.2 14.5
Total	26,798	10.0	26,798	1.6	26,798	18.3 17.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 years	4	*	4	*	4	*
15 - 19 Years	3	*	3	*	3	*
Total	13	*	13	*	13	*
Asian						
5 - 8 Years	116	8.6	116	5.2	116	13.8
9 - 11 Years	63	*	63	*	63	*
12 - 14 years	65	*	65	*	65	*
15 - 19 Years	77	*	77	*	77	*
Total	321	10.6	321	5.0	321	12.5
Pacific Islander						
5 - 8 Years	22	*	22	*	22	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 years	6	*	6	*	6	*
15 - 19 Years	13	*	13	*	13	*
Total	48	*	48	*	48	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	96	*	96	*	96	*
9 - 11 Years	52	*	52	*	52	*
12 - 14 years	44	*	44	*	44	*
15 - 19 Years	46	*	46	*	46	*
Total	238	14.3	238	6.7	238	23.1
All Other						
5 - 8 Years	499	6.4	499	6.8	499	15.4
9 - 11 Years	268	4.9	268	3.4	268	18.3
12 - 14 years	246	9.3	246	4.5	246	15.9
15 - 19 Years	253	10.7	253	2.8	253	16.6
Total	1,266	7.5	1,266	4.8	1,266	16.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	10,740	4.2	10,740	2.4	10,740	18.2 17.3
9 - 11 Years	5,791	3.6	5,791	1.8	5,791	20.1 21.4
12 - 14 years	5,722	7.0	5,722	1.6	5,722	17.4 19.7
15 - 19 Years	8,856	21.5	8,856	1.6	8,856	16.9 15.3
Total	31,109	9.5	31,109	1.9	31,109	18.0 17.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	34	*	34	*	34	*
9 - 11 Years	24	*	24	*	24	*
12 - 14 years	14	*	14	*	14	*
15 - 19 Years	23	*	23	*	23	*
Total	95	*	95	*	95	*
Black, Not Hispanic						
5 - 8 Years	205	2.0	205	6.3	205	9.3
9 - 11 Years	145	3.4	145	4.1	145	11.7
12 - 14 years	182	4.9	182	1.6	182	18.7
15 - 19 Years	178	5.6	178	1.1	178	13.5
Total	710	3.9	710	3.4	710	13.2
Hispanic						
5 - 8 Years	594	4.5	594	1.9	594	19.0
9 - 11 Years	336	4.2	336	1.8	336	18.2
12 - 14 years	331	6.6	331	1.5	331	19.3
15 - 19 Years	362	13.8	362	2.5	362	19.9
Total	1,623	7.0	1,623	1.9	1,623	19.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	0	*	0	*	0	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 years	2	*	2	*	2	* *
15 - 19 Years	0	*	0	*	0	* *
Total	2	*	2	*	2	* *
Asian						
5 - 8 Years	16	*	16	*	16	* *
9 - 11 Years	8	*	8	*	8	* *
12 - 14 years	5	*	5	*	5	* *
15 - 19 Years	7	*	7	*	7	* *
Total	36	*	36	*	36	* *
Pacific Islander						
5 - 8 Years	5	*	5	*	5	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 years	0	*	0	*	0	* *
15 - 19 Years	2	*	2	*	2	* *
Total	7	*	7	*	7	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	3	*	3	*	3	*
Total	16	*	16	*	16	*
All Other						
5 - 8 Years	32	*	32	*	32	*
9 - 11 Years	21	*	21	*	21	*
12 - 14 years	25	*	25	*	25	*
15 - 19 Years	23	*	23	*	23	*
Total	101	4.0	101	4.0	101	13.9 10.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	892	3.6	892	3.3	892	15.8
9 - 11 Years	539	4.1	539	2.4	539	16.1
12 - 14 years	561	6.1	561	1.8	561	19.1
15 - 19 Years	598	10.7	598	2.0	598	17.2
Total	2,590	5.9	2,590	2.5	2,590	16.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	63	*	63	*	63	*
9 - 11 Years	20	*	20	*	20	*
12 - 14 years	28	*	28	*	28	*
15 - 19 Years	15	*	15	*	15	*
Total	126	6.3	126	2.4	126	15.9
Black, Not Hispanic						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	3	*	3	*	3	*
Total	10	*	10	*	10	*
Hispanic						
5 - 8 Years	71	*	71	*	71	*
9 - 11 Years	23	*	23	*	23	*
12 - 14 years	24	*	24	*	24	*
15 - 19 Years	33	*	33	*	33	*
Total	151	4.6	151	1.3	151	18.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*
Asian						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*
Pacific Islander						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	44	*	44	*	44	*
9 - 11 Years	21	*	21	*	21	*
12 - 14 years	21	*	21	*	21	*
15 - 19 Years	18	*	18	*	18	*
Total	104	7.7	104	1.0	104	19.2 23.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	187	4.8	187	2.1	187	15.5 15.0
9 - 11 Years	65	*	65	*	65	* *
12 - 14 years	76	*	76	*	76	* *
15 - 19 Years	70	*	70	*	70	* *
Total	398	5.8	398	1.8	398	18.1 20.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	57	*	57	*	57	*
9 - 11 Years	35	*	35	*	35	*
12 - 14 years	48	*	48	*	48	*
15 - 19 Years	54	*	54	*	54	*
Total	194	10.3	194	1.0	194	18.0
Black, Not Hispanic						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 years	4	*	4	*	4	*
15 - 19 Years	4	*	4	*	4	*
Total	17	*	17	*	17	*
Hispanic						
5 - 8 Years	29	*	29	*	29	*
9 - 11 Years	14	*	14	*	14	*
12 - 14 years	15	*	15	*	15	*
15 - 19 Years	20	*	20	*	20	*
Total	78	*	78	*	78	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	8	*	8	*	8	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 years	10	*	10	*	10	*
15 - 19 Years	7	*	7	*	7	*
Total	30	*	30	*	30	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*
All Other						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	15	*	15	*	15	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	105	4.8	105	1.0	105	12.4 17.1
9 - 11 Years	66	*	66	*	66	* *
12 - 14 years	80	*	80	*	80	* *
15 - 19 Years	87	*	87	*	87	* *
Total	338	9.5	338	1.5	338	18.0 21.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	43	*	43	*	43	*
9 - 11 Years	35	*	35	*	35	*
12 - 14 years	43	*	43	*	43	*
15 - 19 Years	26	*	26	*	26	*
Total	147	4.8	147	2.0	147	19.7 23.1
Black, Not Hispanic						
5 - 8 Years	322	1.9	322	2.8	322	16.5 16.5
9 - 11 Years	210	1.4	210	1.4	210	19.0 24.3
12 - 14 years	244	1.2	244	2.0	244	20.1 26.6
15 - 19 Years	274	5.8	274	2.2	274	19.7 21.2
Total	1,050	2.7	1,050	2.2	1,050	18.7 21.6
Hispanic						
5 - 8 Years	1,450	4.6	1,450	1.7	1,450	21.0 25.1
9 - 11 Years	838	4.9	838	2.1	838	18.4 31.1
12 - 14 years	802	6.5	802	0.4	802	20.8 29.6
15 - 19 Years	775	11.0	775	1.9	775	16.3 26.2
Total	3,865	6.3	3,865	1.6	3,865	19.5 27.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	11	*	11	*	11	*
Asian						
5 - 8 Years	124	7.3	124	10.5	124	9.7
9 - 11 Years	121	7.4	121	3.3	121	14.9
12 - 14 years	179	5.6	179	4.5	179	13.4
15 - 19 Years	234	13.2	234	6.0	234	16.7
Total	658	9.0	658	5.9	658	14.1
Pacific Islander						
5 - 8 Years	21	*	21	*	21	*
9 - 11 Years	14	*	14	*	14	*
12 - 14 years	15	*	15	*	15	*
15 - 19 Years	14	*	14	*	14	*
Total	64	*	64	*	64	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	12	*	12	*	12	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 years	11	*	11	*	11	*
15 - 19 Years	11	*	11	*	11	*
Total	43	*	43	*	43	*
All Other						
5 - 8 Years	128	3.9	128	2.3	128	18.8
9 - 11 Years	60	*	60	*	60	*
12 - 14 years	52	*	52	*	52	*
15 - 19 Years	46	*	46	*	46	*
Total	286	5.2	286	2.1	286	15.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	2,106	4.4	2,106	2.5	2,106	19.5 22.5
9 - 11 Years	1,290	4.4	1,290	1.9	1,290	17.8 27.9
12 - 14 years	1,347	5.2	1,347	1.5	1,347	19.2 27.3
15 - 19 Years	1,381	10.1	1,381	2.5	1,381	16.9 22.5
Total	6,124	5.8	6,124	2.2	6,124	18.5 24.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	138	1.4	138	2.2	138	13.0 11.6
9 - 11 Years	64	*	64	*	64	* *
12 - 14 years	55	*	55	*	55	* *
15 - 19 Years	45	*	45	*	45	* *
Total	302	2.6	302	2.6	302	15.2 18.2
Black, Not Hispanic						
5 - 8 Years	16	*	16	*	16	* *
9 - 11 Years	11	*	11	*	11	* *
12 - 14 years	17	*	17	*	17	* *
15 - 19 Years	9	*	9	*	9	* *
Total	53	*	53	*	53	* *
Hispanic						
5 - 8 Years	1,570	5.0	1,570	1.7	1,570	16.4 22.0
9 - 11 Years	864	3.8	864	1.9	864	21.8 27.1
12 - 14 years	912	6.7	912	1.3	912	20.8 24.9
15 - 19 Years	764	13.4	764	1.7	764	19.1 20.4
Total	4,110	6.7	4,110	1.7	4,110	19.0 23.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaskan Native							
5 - 8 Years	13	*	13	*	13	*	*
9 - 11 Years	6	*	6	*	6	*	*
12 - 14 years	4	*	4	*	4	*	*
15 - 19 Years	8	*	8	*	8	*	*
Total	31	*	31	*	31	*	*
Asian							
5 - 8 Years	3	*	3	*	3	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	2	*	2	*	2	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	5	*	5	*	5	*	*
Pacific Islander							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	2	*	2	*	2	*	*
Total	3	*	3	*	3	*	*
All Other							
5 - 8 Years	74	*	74	*	74	*	*
9 - 11 Years	29	*	29	*	29	*	*
12 - 14 years	32	*	32	*	32	*	*
15 - 19 Years	32	*	32	*	32	*	*
Total	167	9.6	167	4.2	167	17.4	16.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	1,815	4.6	1,815	1.9	1,815	16.3 21.0
9 - 11 Years	976	4.0	976	2.0	976	21.3 26.7
12 - 14 years	1,022	6.7	1,022	1.3	1,022	20.5 24.6
15 - 19 Years	860	12.7	860	2.1	860	18.1 20.3
Total	4,673	6.4	4,673	1.8	4,673	18.6 22.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	36	*	36	*	36	*
9 - 11 Years	28	*	28	*	28	*
12 - 14 years	27	*	27	*	27	*
15 - 19 Years	19	*	19	*	19	*
Total	110	2.7	110	2.7	110	19.1 18.2
Black, Not Hispanic						
5 - 8 Years	12	*	12	*	12	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 years	17	*	17	*	17	*
15 - 19 Years	15	*	15	*	15	*
Total	53	*	53	*	53	*
Hispanic						
5 - 8 Years	142	7.7	142	1.4	142	21.1 25.4
9 - 11 Years	70	*	70	*	70	*
12 - 14 years	37	*	37	*	37	*
15 - 19 Years	34	*	34	*	34	*
Total	283	8.5	283	1.1	283	20.5 24.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaskan Native							
5 - 8 Years	3	*	3	*	3	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	4	*	4	*	4	*	*
Asian							
5 - 8 Years	11	*	11	*	11	*	*
9 - 11 Years	3	*	3	*	3	*	*
12 - 14 years	2	*	2	*	2	*	*
15 - 19 Years	6	*	6	*	6	*	*
Total	22	*	22	*	22	*	*
Pacific Islander							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	1	*	1	*	1	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 years	0	*	0	*	0	* *
15 - 19 Years	0	*	0	*	0	* *
Total	1	*	1	*	1	* *
All Other						
5 - 8 Years	51	*	51	*	51	* *
9 - 11 Years	32	*	32	*	32	* *
12 - 14 years	51	*	51	*	51	* *
15 - 19 Years	21	*	21	*	21	* *
Total	155	5.8	155	3.2	155	22.6 20.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	257	6.6	257	1.9	257	20.2 19.8
9 - 11 Years	142	2.8	142	2.8	142	21.8 26.1
12 - 14 years	135	5.2	135	0.7	135	23.7 18.5
15 - 19 Years	95	*	95	*	95	* *
Total	629	6.4	629	1.7	629	20.7 21.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	11	*	11	*	11	* *
9 - 11 Years	8	*	8	*	8	* *
12 - 14 years	16	*	16	*	16	* *
15 - 19 Years	8	*	8	*	8	* *
Total	43	*	43	*	43	* *
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	* *
9 - 11 Years	1	*	1	*	1	* *
12 - 14 years	0	*	0	*	0	* *
15 - 19 Years	1	*	1	*	1	* *
Total	2	*	2	*	2	* *
Hispanic						
5 - 8 Years	4	*	4	*	4	* *
9 - 11 Years	3	*	3	*	3	* *
12 - 14 years	5	*	5	*	5	* *
15 - 19 Years	4	*	4	*	4	* *
Total	16	*	16	*	16	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	1	*	1	*	1	*
Total	5	*	5	*	5	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	16	*	16	*	16	*	*
9 - 11 Years	14	*	14	*	14	*	*
12 - 14 years	24	*	24	*	24	*	*
15 - 19 Years	14	*	14	*	14	*	*
Total	68	*	68	*	68	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	65	*	65	*	65	*
9 - 11 Years	35	*	35	*	35	*
12 - 14 years	54	*	54	*	54	*
15 - 19 Years	78	*	78	*	78	*
Total	232	6.0	232	0.9	232	20.3 26.3
Black, Not Hispanic						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	0	*	0	*	0	*
Total	5	*	5	*	5	*
Hispanic						
5 - 8 Years	72	*	72	*	72	*
9 - 11 Years	51	*	51	*	51	*
12 - 14 years	53	*	53	*	53	*
15 - 19 Years	70	*	70	*	70	*
Total	246	9.8	246	1.6	246	22.0 25.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	16	*	16	*	16	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 years	7	*	7	*	7	*
15 - 19 Years	5	*	5	*	5	*
Total	34	*	34	*	34	*
Asian						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	5	*	5	*	5	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	119	5.9	119	1.7	119	17.6 22.7
9 - 11 Years	44	*	44	*	44	*
12 - 14 years	37	*	37	*	37	*
15 - 19 Years	35	*	35	*	35	*
Total	235	6.0	235	2.1	235	17.4 26.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	275	5.5	275	1.8	275	18.9 23.6
9 - 11 Years	137	3.6	137	2.9	137	23.4 27.7
12 - 14 years	155	5.2	155	0.6	155	22.6 23.9
15 - 19 Years	190	14.2	190	0.5	190	16.8 29.5
Total	757	7.3	757	1.5	757	19.9 25.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	291	6.2	291	3.8	291	22.0 12.0
9 - 11 Years	115	3.5	115	5.2	115	18.3 19.1
12 - 14 years	114	7.9	114	3.5	114	19.3 26.3
15 - 19 Years	121	8.3	121	2.5	121	14.0 25.6
Total	641	6.4	641	3.7	641	19.3 18.4
Black, Not Hispanic						
5 - 8 Years	98	*	98	*	98	* *
9 - 11 Years	44	*	44	*	44	* *
12 - 14 years	44	*	44	*	44	* *
15 - 19 Years	71	*	71	*	71	* *
Total	257	5.1	257	3.1	257	16.3 19.5
Hispanic						
5 - 8 Years	1,509	5.2	1,509	2.3	1,509	17.0 21.3
9 - 11 Years	652	3.2	652	1.7	652	18.9 30.4
12 - 14 years	630	6.3	630	1.7	630	18.9 28.9
15 - 19 Years	557	10.2	557	2.0	557	18.7 20.5
Total	3,348	5.9	3,348	2.0	3,348	18.0 24.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	0	*	0	*	0	*
Total	6	*	6	*	6	*
Asian						
5 - 8 Years	126	19.0	126	2.4	126	9.5
9 - 11 Years	81	*	81	*	81	*
12 - 14 years	100	21.0	100	2.0	100	20.0
15 - 19 Years	139	39.6	139	4.3	139	19.4
Total	446	27.6	446	2.9	446	15.5
Pacific Islander						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	3	*	3	*	3	*
Total	6	*	6	*	6	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	3	*	3	*	3	*
All Other						
5 - 8 Years	165	4.2	165	4.2	165	13.9
9 - 11 Years	70	*	70	*	70	*
12 - 14 years	61	*	61	*	61	*
15 - 19 Years	52	*	52	*	52	*
Total	348	6.0	348	4.0	348	16.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	2,196	6.1	2,196	2.7	2,196	17.0 18.7
9 - 11 Years	965	5.9	965	2.3	965	18.2 27.3
12 - 14 years	951	7.8	951	2.0	951	19.1 26.8
15 - 19 Years	943	14.0	943	2.9	943	17.4 20.1
Total	5,055	7.8	5,055	2.5	5,055	17.7 22.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	13	*	13	*	13	*
9 - 11 Years	8	*	8	*	8	*
12 - 14 years	13	*	13	*	13	*
15 - 19 Years	22	*	22	*	22	*
Total	56	*	56	*	56	*
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	1	*	1	*	1	*
Hispanic						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 years	12	*	12	*	12	*
15 - 19 Years	15	*	15	*	15	*
Total	42	*	42	*	42	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	3	*	3	*	3	*
Total	7	*	7	*	7	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	4	*	4	*	4	*	*
Total	4	*	4	*	4	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	22	*	22	*	22	*
9 - 11 Years	17	*	17	*	17	*
12 - 14 years	26	*	26	*	26	*
15 - 19 Years	45	*	45	*	45	*
Total	110	3.6	110	1.8	110	22.7 26.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	10	*	10	*	10	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 years	4	*	4	*	4	*
15 - 19 Years	2	*	2	*	2	*
Total	21	*	21	*	21	*
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Hispanic						
5 - 8 Years	53	*	53	*	53	*
9 - 11 Years	24	*	24	*	24	*
12 - 14 years	18	*	18	*	18	*
15 - 19 Years	13	*	13	*	13	*
Total	108	9.3	108	6.5	108	18.5 14.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	6	*	6	*	6	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 years	8	*	8	*	8	*
15 - 19 Years	2	*	2	*	2	*
Total	20	*	20	*	20	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	72	*	72	*	72	*
9 - 11 Years	35	*	35	*	35	*
12 - 14 years	30	*	30	*	30	*
15 - 19 Years	18	*	18	*	18	*
Total	155	7.1	155	5.8	155	20.0 15.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	21	*	21	*	21	*
9 - 11 Years	11	*	11	*	11	*
12 - 14 years	6	*	6	*	6	*
15 - 19 Years	14	*	14	*	14	*
Total	52	*	52	*	52	*
Black, Not Hispanic						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	4	*	4	*	4	*
15 - 19 Years	3	*	3	*	3	*
Total	13	*	13	*	13	*
Hispanic						
5 - 8 Years	1,003	4.5	1,003	1.1	1,003	21.4
9 - 11 Years	492	4.7	492	1.4	492	23.4
12 - 14 years	418	4.8	418	1.4	418	19.6
15 - 19 Years	429	15.2	429	1.2	429	20.7
Total	2,342	6.5	2,342	1.2	2,342	21.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Asian						
5 - 8 Years	4	*	4	*	4	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	0	*	0	*	0	*
Total	8	*	8	*	8	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	3	*	3	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	4	*	4	*	4	*
All Other						
5 - 8 Years	40	*	40	*	40	*
9 - 11 Years	20	*	20	*	20	*
12 - 14 years	13	*	13	*	13	*
15 - 19 Years	17	*	17	*	17	*
Total	90	*	90	*	90	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	1,078	4.7	1,078	1.0	1,078	22.0 24.6
9 - 11 Years	524	5.0	524	1.3	524	22.9 27.1
12 - 14 years	445	4.5	445	1.6	445	19.8 27.0
15 - 19 Years	466	15.0	466	1.3	466	21.5 20.4
Total	2,513	6.6	2,513	1.2	2,513	21.7 24.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	46	*	46	*	46	*
9 - 11 Years	32	*	32	*	32	*
12 - 14 years	29	*	29	*	29	*
15 - 19 Years	50	*	50	*	50	*
Total	157	5.7	157	0.0	157	21.0 24.2
Black, Not Hispanic						
5 - 8 Years	9	*	9	*	9	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	6	*	6	*	6	*
Total	21	*	21	*	21	*
Hispanic						
5 - 8 Years	236	5.5	236	0.4	236	17.4 28.4
9 - 11 Years	119	5.0	119	0.8	119	30.3 34.5
12 - 14 years	102	4.9	102	0.0	102	25.5 27.5
15 - 19 Years	148	9.5	148	2.7	148	18.2 23.6
Total	605	6.3	605	1.0	605	21.5 28.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*
Asian						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	7	*	7	*	7	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	6	*	6	*	6	*
Total	14	*	14	*	14	*
All Other						
5 - 8 Years	98	*	98	*	98	*
9 - 11 Years	43	*	43	*	43	*
12 - 14 years	37	*	37	*	37	*
15 - 19 Years	29	*	29	*	29	*
Total	207	7.2	207	5.8	207	19.3 17.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	403	5.0	403	1.5	403	17.1 24.3
9 - 11 Years	200	4.0	200	1.5	200	25.5 29.0
12 - 14 years	172	7.6	172	2.3	172	23.8 26.2
15 - 19 Years	242	9.1	242	2.5	242	19.8 24.0
Total	1,017	6.2	1,017	1.9	1,017	20.6 25.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	141	7.8	141	3.5	141	17.0 17.7
9 - 11 Years	48	*	48	*	48	* *
12 - 14 years	63	*	63	*	63	* *
15 - 19 Years	62	*	62	*	62	* *
Total	314	7.3	314	1.9	314	21.7 18.5
Black, Not Hispanic						
5 - 8 Years	1	*	1	*	1	* *
9 - 11 Years	1	*	1	*	1	* *
12 - 14 years	4	*	4	*	4	* *
15 - 19 Years	4	*	4	*	4	* *
Total	10	*	10	*	10	* *
Hispanic						
5 - 8 Years	36	*	36	*	36	* *
9 - 11 Years	7	*	7	*	7	* *
12 - 14 years	13	*	13	*	13	* *
15 - 19 Years	18	*	18	*	18	* *
Total	74	*	74	*	74	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaskan Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Asian							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	*
Pacific Islander							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	15	*	15	*	15	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 years	10	*	10	*	10	*
15 - 19 Years	5	*	5	*	5	*
Total	35	*	35	*	35	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	195	6.7	195	3.6	195	17.9
9 - 11 Years	62	*	62	*	62	*
12 - 14 years	90	*	90	*	90	*
15 - 19 Years	89	*	89	*	89	*
Total	436	8.3	436	2.3	436	23.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	196	2.6	196	3.1	196	17.9 16.3
9 - 11 Years	79	*	79	*	79	* *
12 - 14 years	93	*	93	*	93	* *
15 - 19 Years	66	*	66	*	66	* *
Total	434	5.3	434	3.0	434	16.6 17.5
Black, Not Hispanic						
5 - 8 Years	44	*	44	*	44	* *
9 - 11 Years	16	*	16	*	16	* *
12 - 14 years	24	*	24	*	24	* *
15 - 19 Years	31	*	31	*	31	* *
Total	115	0.9	115	2.6	115	20.0 14.8
Hispanic						
5 - 8 Years	4,523	4.0	4,523	2.8	4,523	16.9 22.0
9 - 11 Years	2,634	4.7	2,634	2.0	2,634	20.6 25.5
12 - 14 years	2,932	6.4	2,932	1.9	2,932	21.0 23.3
15 - 19 Years	3,179	15.5	3,179	1.8	3,179	18.6 18.8
Total	13,268	7.4	13,268	2.2	13,268	19.0 22.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	9	*	9	*	9	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 years	6	*	6	*	6	*
15 - 19 Years	6	*	6	*	6	*
Total	26	*	26	*	26	*
Asian						
5 - 8 Years	217	4.6	217	6.5	217	12.4
9 - 11 Years	154	6.5	154	6.5	154	18.2
12 - 14 years	201	7.0	201	6.0	201	14.4
15 - 19 Years	224	21.9	224	12.1	224	11.6
Total	796	10.4	796	7.9	796	13.8
Pacific Islander						
5 - 8 Years	18	*	18	*	18	*
9 - 11 Years	13	*	13	*	13	*
12 - 14 years	10	*	10	*	10	*
15 - 19 Years	7	*	7	*	7	*
Total	48	*	48	*	48	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	47	*	47	*	47	*
9 - 11 Years	29	*	29	*	29	*
12 - 14 years	34	*	34	*	34	*
15 - 19 Years	31	*	31	*	31	*
Total	141	5.7	141	5.0	141	19.1 16.3
All Other						
5 - 8 Years	249	4.4	249	3.2	249	15.3 14.1
9 - 11 Years	105	6.7	105	5.7	105	18.1 26.7
12 - 14 years	125	8.0	125	1.6	125	13.6 22.4
15 - 19 Years	132	4.5	132	4.5	132	18.2 15.9
Total	611	5.6	611	3.6	611	16.0 18.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	5,303	4.0	5,303	3.1	5,303	16.7 20.9
9 - 11 Years	3,035	5.0	3,035	2.5	3,035	20.4 24.5
12 - 14 years	3,425	6.5	3,425	2.2	3,425	20.0 22.2
15 - 19 Years	3,676	15.0	3,676	2.6	3,676	18.3 17.9
Total	15,439	7.4	15,439	2.7	15,439	18.5 21.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	22	*	22	*	22	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 years	14	*	14	*	14	*
15 - 19 Years	11	*	11	*	11	*
Total	56	*	56	*	56	*
Black, Not Hispanic						
5 - 8 Years	47	*	47	*	47	*
9 - 11 Years	49	*	49	*	49	*
12 - 14 years	45	*	45	*	45	*
15 - 19 Years	56	*	56	*	56	*
Total	197	3.6	197	2.0	197	13.2 17.3
Hispanic						
5 - 8 Years	180	2.8	180	2.8	180	17.8 22.8
9 - 11 Years	98	*	98	*	98	*
12 - 14 years	96	*	96	*	96	*
15 - 19 Years	124	11.3	124	1.6	124	17.7 23.4
Total	498	4.8	498	2.6	498	19.9 23.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	0	*	0	*	0	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 years	0	*	0	*	0	* *
15 - 19 Years	1	*	1	*	1	* *
Total	1	*	1	*	1	* *
Asian						
5 - 8 Years	10	*	10	*	10	* *
9 - 11 Years	6	*	6	*	6	* *
12 - 14 years	6	*	6	*	6	* *
15 - 19 Years	5	*	5	*	5	* *
Total	27	*	27	*	27	* *
Pacific Islander						
5 - 8 Years	0	*	0	*	0	* *
9 - 11 Years	0	*	0	*	0	* *
12 - 14 years	0	*	0	*	0	* *
15 - 19 Years	1	*	1	*	1	* *
Total	1	*	1	*	1	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	7	*	7	*	7	*
All Other						
5 - 8 Years	48	*	48	*	48	*
9 - 11 Years	23	*	23	*	23	*
12 - 14 years	29	*	29	*	29	*
15 - 19 Years	33	*	33	*	33	*
Total	133	4.5	133	2.3	133	15.8 27.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	310	3.2	310	3.9	310	14.8 19.7
9 - 11 Years	187	1.6	187	2.1	187	21.9 26.7
12 - 14 years	191	4.2	191	1.6	191	23.6 19.4
15 - 19 Years	232	8.6	232	2.2	232	15.9 22.4
Total	920	4.5	920	2.6	920	18.4 21.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	120	6.7	120	2.5	120	14.2 15.0
9 - 11 Years	63	*	63	*	63	* *
12 - 14 years	66	*	66	*	66	* *
15 - 19 Years	77	*	77	*	77	* *
Total	326	5.5	326	2.5	326	18.1 17.8
Black, Not Hispanic						
5 - 8 Years	3	*	3	*	3	* *
9 - 11 Years	5	*	5	*	5	* *
12 - 14 years	3	*	3	*	3	* *
15 - 19 Years	4	*	4	*	4	* *
Total	15	*	15	*	15	* *
Hispanic						
5 - 8 Years	110	8.2	110	2.7	110	16.4 22.7
9 - 11 Years	33	*	33	*	33	* *
12 - 14 years	24	*	24	*	24	* *
15 - 19 Years	28	*	28	*	28	* *
Total	195	12.3	195	3.1	195	16.9 28.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaskan Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Asian							
5 - 8 Years	5	*	5	*	5	*	*
9 - 11 Years	3	*	3	*	3	*	*
12 - 14 years	5	*	5	*	5	*	*
15 - 19 Years	3	*	3	*	3	*	*
Total	16	*	16	*	16	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	2	*	2	*	2	*	*
Total	2	*	2	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*
All Other						
5 - 8 Years	230	4.8	230	3.5	230	11.7
9 - 11 Years	143	5.6	143	4.2	143	18.2
12 - 14 years	143	9.1	143	4.2	143	18.9
15 - 19 Years	95	*	95	*	95	*
Total	611	6.7	611	3.4	611	15.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	468	6.2	468	3.0	468	14.3 15.2
9 - 11 Years	247	5.3	247	3.6	247	18.2 20.2
12 - 14 years	242	9.1	242	2.9	242	22.7 20.7
15 - 19 Years	210	10.5	210	2.9	210	21.0 20.0
Total	1,167	7.4	1,167	3.1	1,167	18.1 18.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	22	*	22	*	22	*
9 - 11 Years	12	*	12	*	12	*
12 - 14 years	19	*	19	*	19	*
15 - 19 Years	21	*	21	*	21	*
Total	74	*	74	*	74	*
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	5	*	5	*	5	*
Total	9	*	9	*	9	*
Hispanic						
5 - 8 Years	11	*	11	*	11	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 years	8	*	8	*	8	*
15 - 19 Years	12	*	12	*	12	*
Total	37	*	37	*	37	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	3	*	3	*	3	*
Total	11	*	11	*	11	*
Asian						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	8	*	8	*	8	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 years	7	*	7	*	7	*
15 - 19 Years	2	*	2	*	2	*
Total	24	*	24	*	24	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	47	*	47	*	47	*
9 - 11 Years	27	*	27	*	27	*
12 - 14 years	39	*	39	*	39	*
15 - 19 Years	44	*	44	*	44	*
Total	157	8.9	157	5.1	157	14.6 22.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	410	4.9	410	7.8	410	11.5 17.1
9 - 11 Years	186	4.3	186	2.7	186	15.6 14.0
12 - 14 years	246	5.3	246	2.0	246	17.9 21.5
15 - 19 Years	275	8.4	275	1.5	275	17.5 21.1
Total	1,117	5.7	1,117	4.1	1,117	15.0 18.5
Black, Not Hispanic						
5 - 8 Years	241	2.1	241	3.3	241	13.7 7.9
9 - 11 Years	123	2.4	123	3.3	123	15.4 8.9
12 - 14 years	158	4.4	158	4.4	158	19.6 17.1
15 - 19 Years	209	5.3	209	2.4	209	14.4 19.1
Total	731	3.6	731	3.3	731	15.5 13.3
Hispanic						
5 - 8 Years	4,066	4.1	4,066	3.8	4,066	16.1 19.2
9 - 11 Years	2,037	3.3	2,037	2.7	2,037	18.8 28.7
12 - 14 years	2,213	5.7	2,213	1.7	2,213	18.8 25.2
15 - 19 Years	2,176	9.9	2,176	2.2	2,176	19.7 20.2
Total	10,492	5.5	10,492	2.8	10,492	17.9 22.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	4	*	4	*	4	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	4	*	4	*	4	*
Total	10	*	10	*	10	*
Asian						
5 - 8 Years	47	*	47	*	47	*
9 - 11 Years	15	*	15	*	15	*
12 - 14 years	17	*	17	*	17	*
15 - 19 Years	17	*	17	*	17	*
Total	96	*	96	*	96	*
Pacific Islander						
5 - 8 Years	8	*	8	*	8	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	3	*	3	*	3	*
Total	18	*	18	*	18	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	8	*	8	*	8	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 years	6	*	6	*	6	*
15 - 19 Years	4	*	4	*	4	*
Total	21	*	21	*	21	*
All Other						
5 - 8 Years	364	4.7	364	4.4	364	18.1
9 - 11 Years	186	5.9	186	4.3	186	21.5
12 - 14 years	193	5.7	193	1.0	193	22.8
15 - 19 Years	164	6.7	164	2.4	164	20.1
Total	907	5.5	907	3.3	907	20.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	5,148	4.0	5,148	4.2	5,148	15.8	18.1
9 - 11 Years	2,556	3.5	2,556	2.8	2,556	18.5	26.3
12 - 14 years	2,836	5.6	2,836	1.8	2,836	19.0	24.3
15 - 19 Years	2,852	9.2	2,852	2.2	2,852	19.1	20.0
Total	13,392	5.4	13,392	3.0	13,392	17.7	21.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	874	5.3	874	2.7	874	14.1 12.5
9 - 11 Years	516	3.7	516	3.7	516	16.3 18.4
12 - 14 years	528	5.5	528	1.7	528	18.9 15.9
15 - 19 Years	710	7.3	710	2.8	710	18.9 17.0
Total	2,628	5.6	2,628	2.7	2,628	16.8 15.6
Black, Not Hispanic						
5 - 8 Years	838	3.0	838	2.7	838	17.9 17.4
9 - 11 Years	514	3.7	514	1.9	514	19.3 23.7
12 - 14 years	567	4.6	567	2.1	567	21.9 28.6
15 - 19 Years	657	8.1	657	1.7	657	20.7 26.3
Total	2,576	4.8	2,576	2.2	2,576	19.8 23.4
Hispanic						
5 - 8 Years	2,107	4.7	2,107	2.2	2,107	17.9 21.8
9 - 11 Years	855	3.6	855	1.9	855	19.3 31.1
12 - 14 years	741	6.6	741	0.8	741	21.3 30.9
15 - 19 Years	687	13.4	687	1.5	687	19.1 29.8
Total	4,390	6.2	4,390	1.8	4,390	18.9 26.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	44	*	44	*	44	*
9 - 11 Years	18	*	18	*	18	*
12 - 14 years	13	*	13	*	13	*
15 - 19 Years	18	*	18	*	18	*
Total	93	*	93	*	93	*
Asian						
5 - 8 Years	887	14.7	887	4.1	887	12.7
9 - 11 Years	593	12.0	593	3.5	593	16.0
12 - 14 years	808	10.8	808	2.8	808	16.1
15 - 19 Years	1,219	24.5	1,219	5.5	1,219	13.7
Total	3,507	16.7	3,507	4.2	3,507	14.4
Pacific Islander						
5 - 8 Years	27	*	27	*	27	*
9 - 11 Years	12	*	12	*	12	*
12 - 14 years	13	*	13	*	13	*
15 - 19 Years	12	*	12	*	12	*
Total	64	*	64	*	64	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	24	*	24	*	24	*
9 - 11 Years	18	*	18	*	18	*
12 - 14 years	12	*	12	*	12	*
15 - 19 Years	18	*	18	*	18	*
Total	72	*	72	*	72	*
All Other						
5 - 8 Years	3,465	5.4	3,465	3.1	3,465	15.9
9 - 11 Years	1,711	3.8	1,711	3.2	1,711	18.8
12 - 14 years	1,834	6.3	1,834	2.2	1,834	19.6
15 - 19 Years	1,845	9.2	1,845	2.4	1,845	16.7
Total	8,855	6.1	8,855	2.8	8,855	17.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	8,266	5.9	8,266	2.9	8,266	16.1 18.4
9 - 11 Years	4,237	4.9	4,237	2.9	4,237	18.2 24.5
12 - 14 years	4,516	6.9	4,516	2.0	4,516	19.5 23.1
15 - 19 Years	5,166	13.1	5,166	3.0	5,166	17.1 21.3
Total	22,185	7.6	22,185	2.7	22,185	17.4 21.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	11	*	11	*	11	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 years	14	*	14	*	14	*
15 - 19 Years	15	*	15	*	15	*
Total	44	*	44	*	44	*
Black, Not Hispanic						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	1	*	1	*	1	*
Total	8	*	8	*	8	*
Hispanic						
5 - 8 Years	180	2.8	180	1.7	180	22.2
9 - 11 Years	92	*	92	*	92	*
12 - 14 years	101	9.9	101	1.0	101	24.8
15 - 19 Years	74	*	74	*	74	*
Total	447	6.7	447	1.3	447	22.4
						29.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	1	*	1	*	1	*
Total	4	*	4	*	4	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	3	*	3	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
All Other						
5 - 8 Years	31	*	31	*	31	*
9 - 11 Years	12	*	12	*	12	*
12 - 14 years	11	*	11	*	11	*
15 - 19 Years	17	*	17	*	17	*
Total	71	*	71	*	71	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	226	3.5	226	1.3	226	22.6 28.8
9 - 11 Years	113	4.4	113	1.8	113	16.8 39.8
12 - 14 years	132	10.6	132	0.8	132	22.0 24.2
15 - 19 Years	108	14.8	108	1.9	108	20.4 20.4
Total	579	7.4	579	1.4	579	20.9 28.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	424	4.7	424	5.4	424	15.1 13.9
9 - 11 Years	151	3.3	151	3.3	151	14.6 21.9
12 - 14 years	255	7.5	255	3.9	255	15.7 20.4
15 - 19 Years	228	10.1	228	4.8	228	14.0 18.9
Total	1,058	6.3	1,058	4.6	1,058	14.9 17.7
Black, Not Hispanic						
5 - 8 Years	391	2.8	391	3.6	391	15.1 9.7
9 - 11 Years	187	3.7	187	3.7	187	10.2 25.1
12 - 14 years	217	5.5	217	1.4	217	20.3 18.9
15 - 19 Years	276	7.2	276	1.1	276	15.6 18.5
Total	1,071	4.7	1,071	2.5	1,071	15.4 16.5
Hispanic						
5 - 8 Years	5,034	4.8	5,034	3.7	5,034	15.1 19.5
9 - 11 Years	2,817	3.5	2,817	3.3	2,817	18.6 25.6
12 - 14 years	2,855	6.8	2,855	2.3	2,855	19.8 24.7
15 - 19 Years	3,080	9.7	3,080	2.8	3,080	18.6 21.7
Total	13,786	6.0	13,786	3.1	13,786	17.6 22.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	1	*	1	*	1	*
Total	6	*	6	*	6	*
Asian						
5 - 8 Years	56	*	56	*	56	*
9 - 11 Years	34	*	34	*	34	*
12 - 14 years	36	*	36	*	36	*
15 - 19 Years	51	*	51	*	51	*
Total	177	5.6	177	2.8	177	18.1 10.2
Pacific Islander						
5 - 8 Years	11	*	11	*	11	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	16	*	16	*	16	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	8	*	8	*	8	*
12 - 14 years	9	*	9	*	9	*
15 - 19 Years	8	*	8	*	8	*
Total	31	*	31	*	31	*
All Other						
5 - 8 Years	947	7.1	947	2.7	947	18.7
9 - 11 Years	511	6.3	511	2.7	511	20.4
12 - 14 years	482	10.2	482	3.3	482	16.4
15 - 19 Years	554	13.0	554	2.3	554	19.1
Total	2,494	8.8	2,494	2.8	2,494	18.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	6,870	5.0	6,870	3.6	6,870	15.6 18.3
9 - 11 Years	3,712	3.9	3,712	3.3	3,712	18.3 24.5
12 - 14 years	3,858	7.2	3,858	2.5	3,858	19.1 23.5
15 - 19 Years	4,199	10.0	4,199	2.7	4,199	18.2 21.5
Total	18,639	6.4	18,639	3.1	18,639	17.5 21.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	1,504	7.2	1,504	2.5	1,504	17.9 20.0
9 - 11 Years	754	5.6	754	2.5	754	18.7 28.6
12 - 14 years	701	9.0	701	1.4	701	20.7 26.1
15 - 19 Years	605	10.2	605	2.1	605	19.0 20.3
Total	3,564	7.7	3,564	2.2	3,564	18.8 23.1
Black, Not Hispanic						
5 - 8 Years	459	2.4	459	4.6	459	19.0 13.5
9 - 11 Years	228	2.2	228	2.2	228	19.7 21.5
12 - 14 years	285	4.2	285	2.1	285	19.3 25.3
15 - 19 Years	257	6.2	257	0.8	257	21.4 18.7
Total	1,229	3.6	1,229	2.8	1,229	19.7 18.8
Hispanic						
5 - 8 Years	6,893	4.8	6,893	2.5	6,893	17.8 22.5
9 - 11 Years	3,284	4.2	3,284	1.8	3,284	20.9 29.4
12 - 14 years	3,319	7.7	3,319	1.6	3,319	20.7 26.2
15 - 19 Years	3,136	12.5	3,136	2.0	3,136	20.0 22.6
Total	16,632	6.7	16,632	2.1	16,632	19.4 24.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	15	*	15	*	15	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 years	17	*	17	*	17	*
15 - 19 Years	10	*	10	*	10	*
Total	49	*	49	*	49	*
Asian						
5 - 8 Years	197	7.6	197	6.6	197	12.7
9 - 11 Years	104	4.8	104	3.8	104	12.5
12 - 14 years	149	14.1	149	1.3	149	19.5
15 - 19 Years	138	19.6	138	2.2	138	12.3
Total	588	11.6	588	3.7	588	14.3
Pacific Islander						
5 - 8 Years	27	*	27	*	27	*
9 - 11 Years	11	*	11	*	11	*
12 - 14 years	13	*	13	*	13	*
15 - 19 Years	9	*	9	*	9	*
Total	60	*	60	*	60	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	143	12.6	143	7.0	143	12.6 14.0
9 - 11 Years	69	*	69	*	69	* *
12 - 14 years	82	*	82	*	82	* *
15 - 19 Years	72	*	72	*	72	* *
Total	366	13.9	366	6.6	366	13.7 14.2
All Other						
5 - 8 Years	2,552	6.2	2,552	3.4	2,552	16.9 18.8
9 - 11 Years	1,173	5.0	1,173	2.7	1,173	21.2 22.0
12 - 14 years	1,138	8.1	1,138	2.4	1,138	19.0 22.9
15 - 19 Years	1,066	11.0	1,066	2.1	1,066	18.5 22.0
Total	5,929	7.2	5,929	2.8	5,929	18.4 20.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	11,790	5.5	11,790	2.9	11,790	17.5 20.7
9 - 11 Years	5,630	4.6	5,630	2.2	5,630	20.4 27.0
12 - 14 years	5,704	8.0	5,704	1.8	5,704	20.1 25.0
15 - 19 Years	5,293	11.9	5,293	2.0	5,293	19.3 21.6
Total	28,417	7.0	28,417	2.4	28,417	18.9 23.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	66	*	66	*	66	*
9 - 11 Years	34	*	34	*	34	*
12 - 14 years	24	*	24	*	24	*
15 - 19 Years	26	*	26	*	26	*
Total	150	2.0	150	2.0	150	25.3 16.0
Black, Not Hispanic						
5 - 8 Years	205	2.9	205	2.4	205	23.4 16.6
9 - 11 Years	130	0.0	130	0.8	130	14.6 28.5
12 - 14 years	144	2.8	144	2.8	144	20.1 23.6
15 - 19 Years	136	5.9	136	0.0	136	17.6 33.8
Total	615	2.9	615	1.6	615	19.5 24.6
Hispanic						
5 - 8 Years	799	4.5	799	0.4	799	21.3 26.3
9 - 11 Years	356	2.5	356	1.4	356	21.6 35.1
12 - 14 years	328	6.1	328	1.2	328	23.5 32.0
15 - 19 Years	296	17.6	296	1.7	296	24.3 21.6
Total	1,779	6.6	1,779	1.0	1,779	22.3 28.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	3	*	3	*	3	*
Total	9	*	9	*	9	*
Asian						
5 - 8 Years	814	6.5	814	3.6	814	14.6
9 - 11 Years	655	6.9	655	3.8	655	13.7
12 - 14 years	723	8.4	723	4.1	723	15.1
15 - 19 Years	820	14.5	820	6.5	820	10.5
Total	3,012	9.2	3,012	4.5	3,012	13.4
Pacific Islander						
5 - 8 Years	12	*	12	*	12	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 years	4	*	4	*	4	*
15 - 19 Years	4	*	4	*	4	*
Total	27	*	27	*	27	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	17	*	17	*	17	*
9 - 11 Years	16	*	16	*	16	*
12 - 14 years	12	*	12	*	12	*
15 - 19 Years	4	*	4	*	4	*
Total	49	*	49	*	49	*
All Other						
5 - 8 Years	267	7.9	267	2.6	267	23.2
9 - 11 Years	149	5.4	149	2.0	149	29.5
12 - 14 years	166	5.4	166	1.2	166	23.5
15 - 19 Years	182	7.7	182	2.7	182	20.3
Total	764	6.8	764	2.2	764	23.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	2,183	5.5	2,183	2.0	2,183	18.6	18.8
9 - 11 Years	1,348	4.6	1,348	2.6	1,348	17.0	22.5
12 - 14 years	1,403	6.9	1,403	2.9	1,403	18.7	18.2
15 - 19 Years	1,471	13.3	1,471	4.4	1,471	15.0	15.4
Total	6,405	7.4	6,405	2.9	6,405	17.5	18.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	587	4.4	587	3.1	587	17.4 19.1
9 - 11 Years	268	5.2	268	1.5	268	17.2 25.7
12 - 14 years	352	4.3	352	2.8	352	18.2 24.4
15 - 19 Years	345	7.0	345	3.5	345	18.6 27.8
Total	1,552	5.1	1,552	2.8	1,552	17.8 23.4
Black, Not Hispanic						
5 - 8 Years	604	1.8	604	3.0	604	15.2 15.2
9 - 11 Years	347	2.3	347	1.7	347	15.0 23.6
12 - 14 years	434	3.0	434	1.2	434	20.7 24.0
15 - 19 Years	364	5.5	364	0.8	364	15.9 23.6
Total	1,749	3.0	1,749	1.8	1,749	16.7 20.8
Hispanic						
5 - 8 Years	3,263	4.6	3,263	2.2	3,263	16.9 21.7
9 - 11 Years	1,418	3.6	1,418	1.8	1,418	21.5 27.4
12 - 14 years	1,555	4.9	1,555	1.4	1,555	20.3 28.9
15 - 19 Years	1,306	9.3	1,306	3.0	1,306	18.7 24.6
Total	7,542	5.3	7,542	2.1	7,542	18.8 24.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 years	6	*	6	*	6	*
15 - 19 Years	6	*	6	*	6	*
Total	22	*	22	*	22	*
Asian						
5 - 8 Years	407	16.0	407	4.2	407	11.1
9 - 11 Years	203	14.3	203	5.4	203	13.8
12 - 14 years	481	13.1	481	4.0	481	16.2
15 - 19 Years	892	21.5	892	3.8	892	14.7
Total	1,983	17.6	1,983	4.1	1,983	14.2
Pacific Islander						
5 - 8 Years	29	*	29	*	29	*
9 - 11 Years	10	*	10	*	10	*
12 - 14 years	13	*	13	*	13	*
15 - 19 Years	7	*	7	*	7	*
Total	59	*	59	*	59	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	91	*	91	*	91	*
9 - 11 Years	35	*	35	*	35	*
12 - 14 years	33	*	33	*	33	*
15 - 19 Years	28	*	28	*	28	*
Total	187	15.0	187	4.3	187	17.6
All Other						
5 - 8 Years	1,727	5.7	1,727	3.0	1,727	18.6
9 - 11 Years	893	4.9	893	4.6	893	25.6
12 - 14 years	1,012	6.0	1,012	3.6	1,012	20.8
15 - 19 Years	992	11.0	992	2.7	992	17.8
Total	4,624	6.7	4,624	3.4	4,624	20.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	6,715	5.4	6,715	2.7	6,715	16.3
9 - 11 Years	3,177	4.7	3,177	2.8	3,177	18.6
12 - 14 years	3,886	6.0	3,886	2.4	3,886	19.4
15 - 19 Years	3,940	12.1	3,940	2.9	3,940	17.3
Total	17,718	6.9	17,718	2.7	17,718	17.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	235	4.3	235	1.7	235	13.2 16.6
9 - 11 Years	75	*	75	*	75	* *
12 - 14 years	94	*	94	*	94	* *
15 - 19 Years	70	*	70	*	70	* *
Total	474	5.9	474	2.7	474	15.8 20.0
Black, Not Hispanic						
5 - 8 Years	14	*	14	*	14	* *
9 - 11 Years	7	*	7	*	7	* *
12 - 14 years	3	*	3	*	3	* *
15 - 19 Years	7	*	7	*	7	* *
Total	31	*	31	*	31	* *
Hispanic						
5 - 8 Years	363	6.3	363	2.5	363	16.3 22.9
9 - 11 Years	143	6.3	143	2.8	143	23.1 25.2
12 - 14 years	156	7.1	156	1.3	156	25.6 24.4
15 - 19 Years	148	13.5	148	1.4	148	19.6 24.3
Total	810	7.8	810	2.1	810	19.9 23.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Asian						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	3	*	3	*	3	*
Total	14	*	14	*	14	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	6	*	6	*	6	*
All Other						
5 - 8 Years	136	7.4	136	3.7	136	18.4
9 - 11 Years	57	*	57	*	57	*
12 - 14 years	56	*	56	*	56	*
15 - 19 Years	33	*	33	*	33	*
Total	282	8.2	282	3.2	282	22.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	759	6.1	759	2.8	759	15.9 19.2
9 - 11 Years	284	4.9	284	3.2	284	20.1 25.0
12 - 14 years	312	7.7	312	2.6	312	24.7 22.8
15 - 19 Years	263	13.3	263	1.5	263	21.7 21.7
Total	1,618	7.4	1,618	2.6	1,618	19.3 21.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	31	*	31	*	31	*
9 - 11 Years	19	*	19	*	19	*
12 - 14 years	33	*	33	*	33	*
15 - 19 Years	25	*	25	*	25	*
Total	108	7.4	108	1.9	108	16.7 23.1
Black, Not Hispanic						
5 - 8 Years	63	*	63	*	63	*
9 - 11 Years	32	*	32	*	32	*
12 - 14 years	32	*	32	*	32	*
15 - 19 Years	23	*	23	*	23	*
Total	150	5.3	150	1.3	150	18.0 22.7
Hispanic						
5 - 8 Years	1,024	4.8	1,024	1.6	1,024	20.8 24.0
9 - 11 Years	397	3.8	397	0.5	397	17.6 35.5
12 - 14 years	332	3.6	332	1.5	332	19.9 28.6
15 - 19 Years	317	15.1	317	1.9	317	22.1 25.9
Total	2,070	6.0	2,070	1.4	2,070	20.2 27.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	2	*	2	*	2	*
Total	6	*	6	*	6	*
Asian						
5 - 8 Years	32	*	32	*	32	*
9 - 11 Years	14	*	14	*	14	*
12 - 14 years	12	*	12	*	12	*
15 - 19 Years	17	*	17	*	17	*
Total	75	*	75	*	75	*
Pacific Islander						
5 - 8 Years	39	*	39	*	39	*
9 - 11 Years	21	*	21	*	21	*
12 - 14 years	24	*	24	*	24	*
15 - 19 Years	20	*	20	*	20	*
Total	104	0.0	104	0.0	104	25.0 49.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	23	*	23	*	23	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 years	11	*	11	*	11	*
15 - 19 Years	13	*	13	*	13	*
Total	53	*	53	*	53	*
All Other						
5 - 8 Years	703	7.0	703	2.1	703	18.6
9 - 11 Years	316	5.1	316	1.3	316	22.2
12 - 14 years	312	7.7	312	1.9	312	21.8
15 - 19 Years	359	12.5	359	3.9	359	16.2
Total	1,690	7.9	1,690	2.3	1,690	19.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	1,917	5.3	1,917	1.9	1,917	19.6 23.0
9 - 11 Years	805	4.5	805	0.9	805	20.1 30.9
12 - 14 years	758	5.5	758	1.6	758	20.8 26.5
15 - 19 Years	776	13.0	776	2.8	776	18.9 24.5
Total	4,256	6.6	4,256	1.8	4,256	19.8 25.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	115	7.0	115	0.9	115	12.2 14.8
9 - 11 Years	64	*	64	*	64	* *
12 - 14 years	63	*	63	*	63	* *
15 - 19 Years	77	*	77	*	77	* *
Total	319	7.2	319	2.2	319	14.7 20.4
Black, Not Hispanic						
5 - 8 Years	23	*	23	*	23	* *
9 - 11 Years	17	*	17	*	17	* *
12 - 14 years	17	*	17	*	17	* *
15 - 19 Years	24	*	24	*	24	* *
Total	81	*	81	*	81	* *
Hispanic						
5 - 8 Years	1,786	7.9	1,786	1.8	1,786	19.5 23.9
9 - 11 Years	907	6.4	907	1.5	907	20.1 30.9
12 - 14 years	801	9.5	801	0.7	801	22.2 26.7
15 - 19 Years	637	14.3	637	0.8	637	20.7 23.7
Total	4,131	8.9	4,131	1.4	4,131	20.3 25.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	8	*	8	*	8	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 years	8	*	8	*	8	*
15 - 19 Years	4	*	4	*	4	*
Total	24	*	24	*	24	*
Asian						
5 - 8 Years	10	*	10	*	10	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 years	8	*	8	*	8	*
15 - 19 Years	12	*	12	*	12	*
Total	36	*	36	*	36	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	4	*	4	*	4	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	1	*	1	*	1	*
Total	10	*	10	*	10	*
All Other						
5 - 8 Years	349	5.4	349	1.1	349	16.0 20.9
9 - 11 Years	174	4.6	174	2.3	174	15.5 28.7
12 - 14 years	147	5.4	147	0.7	147	20.4 25.2
15 - 19 Years	114	8.8	114	0.9	114	20.2 21.1
Total	784	5.7	784	1.3	784	17.3 23.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	2,296	7.5	2,296	1.8	2,296	18.5 22.8
9 - 11 Years	1,175	6.0	1,175	1.6	1,175	19.6 30.2
12 - 14 years	1,047	8.9	1,047	0.9	1,047	20.9 26.8
15 - 19 Years	870	13.0	870	1.1	870	20.9 23.4
Total	5,388	8.3	5,388	1.5	5,388	19.6 25.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	182	7.7	182	3.3	182	16.5 18.1
9 - 11 Years	91	*	91	*	91	* *
12 - 14 years	116	2.6	116	0.9	116	20.7 29.3
15 - 19 Years	141	7.1	141	2.1	141	16.3 22.7
Total	530	5.8	530	1.9	530	18.5 24.3
Black, Not Hispanic						
5 - 8 Years	68	*	68	*	68	* *
9 - 11 Years	54	*	54	*	54	* *
12 - 14 years	53	*	53	*	53	* *
15 - 19 Years	67	*	67	*	67	* *
Total	242	1.7	242	2.1	242	21.5 22.7
Hispanic						
5 - 8 Years	3,330	4.4	3,330	1.7	3,330	18.6 24.8
9 - 11 Years	1,424	4.7	1,424	1.5	1,424	19.9 31.7
12 - 14 years	1,347	5.9	1,347	1.5	1,347	21.8 29.3
15 - 19 Years	1,056	12.2	1,056	1.6	1,056	19.2 23.0
Total	7,157	5.9	7,157	1.6	7,157	19.5 26.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	13	*	13	*	13	*
9 - 11 Years	14	*	14	*	14	*
12 - 14 years	10	*	10	*	10	*
15 - 19 Years	10	*	10	*	10	*
Total	47	*	47	*	47	*
Asian						
5 - 8 Years	857	7.7	857	7.7	857	14.8
9 - 11 Years	552	6.5	552	6.0	552	20.3
12 - 14 years	724	11.0	724	4.4	724	15.3
15 - 19 Years	1,083	16.9	1,083	7.3	1,083	10.3
Total	3,216	11.3	3,216	6.5	3,216	14.4
Pacific Islander						
5 - 8 Years	11	*	11	*	11	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	6	*	6	*	6	*
Total	29	*	29	*	29	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	66	*	66	*	66	*
9 - 11 Years	50	*	50	*	50	*
12 - 14 years	46	*	46	*	46	*
15 - 19 Years	45	*	45	*	45	*
Total	207	15.0	207	5.3	207	10.1 19.8
All Other						
5 - 8 Years	1,208	6.3	1,208	2.6	1,208	17.3 20.9
9 - 11 Years	605	3.5	605	2.5	605	18.3 26.0
12 - 14 years	623	6.1	623	2.1	623	18.5 23.9
15 - 19 Years	644	12.7	644	3.0	644	19.9 19.3
Total	3,080	7.0	3,080	2.6	3,080	18.3 22.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	5,735	5.5	5,735	2.9	5,735	17.6 22.5
9 - 11 Years	2,799	4.7	2,799	2.5	2,799	19.8 26.8
12 - 14 years	2,922	7.1	2,922	2.4	2,922	19.2 23.0
15 - 19 Years	3,052	13.7	3,052	4.1	3,052	16.1 16.8
Total	14,508	7.4	14,508	3.0	14,508	18.0 22.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	27	*	27	*	27	*
9 - 11 Years	11	*	11	*	11	*
12 - 14 years	12	*	12	*	12	*
15 - 19 Years	4	*	4	*	4	*
Total	54	*	54	*	54	*
Black, Not Hispanic						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	5	*	5	*	5	*
Total	10	*	10	*	10	*
Hispanic						
5 - 8 Years	312	4.2	312	1.3	312	20.2
9 - 11 Years	163	6.1	163	1.2	163	20.2
12 - 14 years	141	7.1	141	0.0	141	24.1
15 - 19 Years	147	10.2	147	0.0	147	21.8
Total	763	6.3	763	0.8	763	21.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaskan Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	*
Asian							
5 - 8 Years	2	*	2	*	2	*	*
9 - 11 Years	3	*	3	*	3	*	*
12 - 14 years	5	*	5	*	5	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	11	*	11	*	11	*	*
Pacific Islander							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	1	*	1	*	1	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*
All Other						
5 - 8 Years	96	*	96	*	96	*
9 - 11 Years	57	*	57	*	57	*
12 - 14 years	51	*	51	*	51	*
15 - 19 Years	42	*	42	*	42	*
Total	246	6.1	246	1.6	246	21.5 27.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	441	4.5	441	1.1	441	22.0 29.0
9 - 11 Years	237	5.5	237	1.3	237	18.6 27.0
12 - 14 years	210	6.7	210	0.0	210	22.4 23.3
15 - 19 Years	200	10.5	200	1.5	200	21.5 20.5
Total	1,088	6.3	1,088	1.0	1,088	21.2 25.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	427	3.7	427	2.1	427	18.0 15.2
9 - 11 Years	171	7.0	171	1.8	171	19.9 17.5
12 - 14 years	199	7.5	199	0.5	199	18.1 22.6
15 - 19 Years	200	8.0	200	0.0	200	19.5 23.5
Total	997	5.9	997	1.3	997	18.7 18.8
Black, Not Hispanic						
5 - 8 Years	22	*	22	*	22	* *
9 - 11 Years	10	*	10	*	10	* *
12 - 14 years	14	*	14	*	14	* *
15 - 19 Years	16	*	16	*	16	* *
Total	62	*	62	*	62	* *
Hispanic						
5 - 8 Years	60	*	60	*	60	* *
9 - 11 Years	28	*	28	*	28	* *
12 - 14 years	30	*	30	*	30	* *
15 - 19 Years	30	*	30	*	30	* *
Total	148	12.8	148	2.7	148	18.2 20.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	42	*	42	*	42	*
9 - 11 Years	15	*	15	*	15	*
12 - 14 years	14	*	14	*	14	*
15 - 19 Years	17	*	17	*	17	*
Total	88	*	88	*	88	*
Asian						
5 - 8 Years	18	*	18	*	18	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 years	8	*	8	*	8	*
15 - 19 Years	11	*	11	*	11	*
Total	41	*	41	*	41	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	4	*	4	*	4	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	1	*	1	*	1	*	*
Total	6	*	6	*	6	*	*
All Other							
5 - 8 Years	113	7.1	113	5.3	113	12.4	20.4
9 - 11 Years	49	*	49	*	49	*	*
12 - 14 years	54	*	54	*	54	*	*
15 - 19 Years	62	*	62	*	62	*	*
Total	278	6.8	278	2.9	278	16.9	21.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	683	5.6	683	2.6	683	16.0 16.8
9 - 11 Years	282	8.2	282	1.8	282	18.8 21.6
12 - 14 years	319	7.5	319	1.6	319	18.2 23.8
15 - 19 Years	337	8.3	337	0.3	337	19.9 23.7
Total	1,621	7.0	1,621	1.8	1,621	17.7 20.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	4	*	4	*	4	*
9 - 11 Years	5	*	5	*	5	*
12 - 14 years	5	*	5	*	5	*
15 - 19 Years	11	*	11	*	11	*
Total	25	*	25	*	25	*
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	1	*	1	*	1	*
Total	5	*	5	*	5	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	1	*	1	*	1	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	2	*	2	*	2	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	3	*	3	*	3	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	8	*	8	*	8	*
12 - 14 years	8	*	8	*	8	*
15 - 19 Years	13	*	13	*	13	*
Total	35	*	35	*	35	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	107	0.9	107	3.7	107	15.0 16.8
9 - 11 Years	65	*	65	*	65	* *
12 - 14 years	57	*	57	*	57	* *
15 - 19 Years	65	*	65	*	65	* *
Total	294	2.7	294	2.0	294	18.4 18.4
Black, Not Hispanic						
5 - 8 Years	5	*	5	*	5	* *
9 - 11 Years	2	*	2	*	2	* *
12 - 14 years	3	*	3	*	3	* *
15 - 19 Years	4	*	4	*	4	* *
Total	14	*	14	*	14	* *
Hispanic						
5 - 8 Years	20	*	20	*	20	* *
9 - 11 Years	12	*	12	*	12	* *
12 - 14 years	19	*	19	*	19	* *
15 - 19 Years	29	*	29	*	29	* *
Total	80	*	80	*	80	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 years	9	*	9	*	9	*
15 - 19 Years	5	*	5	*	5	*
Total	23	*	23	*	23	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	74	*	74	*	74	*
9 - 11 Years	44	*	44	*	44	*
12 - 14 years	35	*	35	*	35	*
15 - 19 Years	31	*	31	*	31	*
Total	184	3.3	184	1.1	184	16.8 20.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	211	1.4	211	2.8	211	14.7 18.0
9 - 11 Years	128	3.1	128	2.3	128	18.0 17.2
12 - 14 years	123	2.4	123	0.0	123	23.6 22.8
15 - 19 Years	136	10.3	136	0.0	136	18.4 22.1
Total	598	4.0	598	1.5	598	18.1 19.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	147	6.8	147	1.4	147	15.0 21.8
9 - 11 Years	77	*	77	*	77	* *
12 - 14 years	88	*	88	*	88	* *
15 - 19 Years	74	*	74	*	74	* *
Total	386	4.9	386	1.0	386	16.8 23.3
Black, Not Hispanic						
5 - 8 Years	208	5.3	208	3.4	208	19.7 14.9
9 - 11 Years	116	2.6	116	0.0	116	21.6 29.3
12 - 14 years	128	3.9	128	0.0	128	18.8 20.3
15 - 19 Years	130	6.2	130	0.0	130	13.1 30.8
Total	582	4.6	582	1.2	582	18.4 22.5
Hispanic						
5 - 8 Years	342	5.6	342	1.8	342	16.1 26.3
9 - 11 Years	161	4.3	161	2.5	161	21.7 32.9
12 - 14 years	134	11.2	134	3.0	134	23.9 26.9
15 - 19 Years	95	*	95	*	95	* *
Total	732	6.4	732	2.0	732	18.4 29.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	4	*	4	*	4	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	1	*	1	*	1	*
Total	9	*	9	*	9	*
Asian						
5 - 8 Years	24	*	24	*	24	*
9 - 11 Years	16	*	16	*	16	*
12 - 14 years	11	*	11	*	11	*
15 - 19 Years	15	*	15	*	15	*
Total	66	*	66	*	66	*
Pacific Islander						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	7	*	7	*	7	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	25	*	25	*	25	*
9 - 11 Years	13	*	13	*	13	*
12 - 14 years	13	*	13	*	13	*
15 - 19 Years	4	*	4	*	4	*
Total	55	*	55	*	55	*
All Other						
5 - 8 Years	449	5.6	449	3.3	449	20.3
9 - 11 Years	224	5.4	224	1.3	224	13.8
12 - 14 years	243	6.2	243	0.4	243	17.3
15 - 19 Years	226	12.8	226	2.2	226	19.9
Total	1,142	7.1	1,142	2.1	1,142	18.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	1,202	6.0	1,202	2.7	1,202	17.8 20.2
9 - 11 Years	610	3.9	610	1.5	610	18.2 29.2
12 - 14 years	620	6.5	620	1.1	620	21.0 24.7
15 - 19 Years	547	9.0	547	1.6	547	15.4 29.4
Total	2,979	6.2	2,979	1.9	2,979	18.1 24.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	128	7.0	128	3.9	128	18.0 12.5
9 - 11 Years	69	*	69	*	69	* *
12 - 14 years	77	*	77	*	77	* *
15 - 19 Years	99	*	99	*	99	* *
Total	373	7.0	373	2.9	373	18.0 16.6
Black, Not Hispanic						
5 - 8 Years	15	*	15	*	15	* *
9 - 11 Years	15	*	15	*	15	* *
12 - 14 years	25	*	25	*	25	* *
15 - 19 Years	19	*	19	*	19	* *
Total	74	*	74	*	74	* *
Hispanic						
5 - 8 Years	565	3.7	565	3.2	565	18.9 21.8
9 - 11 Years	241	6.6	241	1.2	241	24.5 25.7
12 - 14 years	271	3.3	271	1.5	271	20.7 28.0
15 - 19 Years	261	10.3	261	1.1	261	20.7 26.1
Total	1,338	5.5	1,338	2.1	1,338	20.6 24.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	28	*	28	*	28	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 years	10	*	10	*	10	*
15 - 19 Years	10	*	10	*	10	*
Total	57	*	57	*	57	*
Asian						
5 - 8 Years	18	*	18	*	18	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 years	12	*	12	*	12	*
15 - 19 Years	17	*	17	*	17	*
Total	53	*	53	*	53	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	2	*	2	*	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	0	*	0	*	0	*
Total	5	*	5	*	5	*
All Other						
5 - 8 Years	276	3.6	276	0.7	276	23.9
9 - 11 Years	121	5.0	121	1.7	121	19.8
12 - 14 years	145	5.5	145	1.4	145	20.0
15 - 19 Years	113	13.3	113	1.8	113	23.0
Total	655	6.0	655	1.2	655	22.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	1,033	4.3	1,033	2.6	1,033	20.2 20.0
9 - 11 Years	461	6.1	461	1.5	461	21.5 25.2
12 - 14 years	543	5.3	543	1.8	543	19.2 27.8
15 - 19 Years	520	9.6	520	1.2	520	19.6 23.3
Total	2,557	5.9	2,557	2.0	2,557	20.1 23.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	738	4.3	738	2.6	738	18.3 18.6
9 - 11 Years	333	5.4	333	2.7	333	15.6 28.5
12 - 14 years	375	5.3	375	0.8	375	15.2 26.1
15 - 19 Years	369	5.7	369	1.4	369	19.5 22.8
Total	1,815	5.0	1,815	2.0	1,815	17.4 22.8
Black, Not Hispanic						
5 - 8 Years	138	1.4	138	3.6	138	18.1 15.2
9 - 11 Years	78	*	78	*	78	* *
12 - 14 years	78	*	78	*	78	* *
15 - 19 Years	81	*	81	*	81	* *
Total	375	2.7	375	1.6	375	16.5 21.6
Hispanic						
5 - 8 Years	2,555	4.9	2,555	2.2	2,555	19.4 22.1
9 - 11 Years	998	3.5	998	1.9	998	17.4 31.6
12 - 14 years	895	6.6	895	1.5	895	22.1 28.6
15 - 19 Years	775	11.0	775	1.9	775	19.6 20.1
Total	5,223	5.8	5,223	2.0	5,223	19.5 24.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	4	*	4	*	4	*
12 - 14 years	4	*	4	*	4	*
15 - 19 Years	2	*	2	*	2	*
Total	17	*	17	*	17	*
Asian						
5 - 8 Years	64	*	64	*	64	*
9 - 11 Years	49	*	49	*	49	*
12 - 14 years	53	*	53	*	53	*
15 - 19 Years	107	22.4	107	3.7	107	10.3
Total	273	15.4	273	3.3	273	13.2
Pacific Islander						
5 - 8 Years	6	*	6	*	6	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	6	*	6	*	6	*
Total	18	*	18	*	18	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	3	*	3	*	3	*
Total	9	*	9	*	9	*
All Other						
5 - 8 Years	334	3.3	334	4.2	334	17.1
9 - 11 Years	180	6.1	180	5.0	180	29.4
12 - 14 years	201	6.0	201	3.5	201	23.9
15 - 19 Years	160	11.3	160	1.9	160	21.3
Total	875	5.9	875	3.8	875	21.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	3,845	4.7	3,845	2.6	3,845	18.5 20.5
9 - 11 Years	1,646	4.4	1,646	2.4	1,646	17.3 30.5
12 - 14 years	1,611	6.1	1,611	1.4	1,611	19.4 26.7
15 - 19 Years	1,503	10.2	1,503	1.9	1,503	19.3 20.2
Total	8,605	5.9	8,605	2.2	8,605	18.6 23.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	124	7.3	124	3.2	124	16.9 15.3
9 - 11 Years	54	*	54	*	54	* *
12 - 14 years	33	*	33	*	33	* *
15 - 19 Years	27	*	27	*	27	* *
Total	238	7.1	238	2.9	238	16.8 19.3
Black, Not Hispanic						
5 - 8 Years	12	*	12	*	12	* *
9 - 11 Years	1	*	1	*	1	* *
12 - 14 years	2	*	2	*	2	* *
15 - 19 Years	2	*	2	*	2	* *
Total	17	*	17	*	17	* *
Hispanic						
5 - 8 Years	165	1.8	165	0.6	165	21.2 15.8
9 - 11 Years	77	*	77	*	77	* *
12 - 14 years	66	*	66	*	66	* *
15 - 19 Years	48	*	48	*	48	* *
Total	356	4.2	356	0.6	356	16.9 21.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	5	*	5	*	5	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	6	*	6	*	6	*
Asian						
5 - 8 Years	16	*	16	*	16	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 years	6	*	6	*	6	*
15 - 19 Years	4	*	4	*	4	*
Total	32	*	32	*	32	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	*
All Other							
5 - 8 Years	105	2.9	105	4.8	105	11.4	16.2
9 - 11 Years	58	*	58	*	58	*	*
12 - 14 years	39	*	39	*	39	*	*
15 - 19 Years	33	*	33	*	33	*	*
Total	235	5.5	235	5.1	235	10.6	16.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	427	4.4	427	3.0	427	17.3 15.5
9 - 11 Years	197	6.6	197	3.0	197	11.2 19.8
12 - 14 years	147	6.1	147	2.0	147	15.6 19.7
15 - 19 Years	115	8.7	115	3.5	115	13.9 27.8
Total	886	5.8	886	2.9	886	15.2 18.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	94	*	94	*	94	*
9 - 11 Years	41	*	41	*	41	*
12 - 14 years	58	*	58	*	58	*
15 - 19 Years	50	*	50	*	50	*
Total	243	7.4	243	1.6	243	12.3 24.7
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	4	*	4	*	4	*
Total	6	*	6	*	6	*
Hispanic						
5 - 8 Years	148	6.1	148	1.4	148	14.9 17.6
9 - 11 Years	61	*	61	*	61	*
12 - 14 years	52	*	52	*	52	*
15 - 19 Years	46	*	46	*	46	*
Total	307	6.2	307	1.0	307	16.9 19.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	0	*	0	*	0	*
Total	4	*	4	*	4	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	1	*	1	*	1	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	196	7.7	196	2.0	196	17.9
9 - 11 Years	65	*	65	*	65	*
12 - 14 years	52	*	52	*	52	*
15 - 19 Years	49	*	49	*	49	*
Total	362	7.2	362	2.2	362	18.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	439	7.5	439	2.1	439	15.0 17.1
9 - 11 Years	171	4.1	171	2.9	171	19.9 23.4
12 - 14 years	164	5.5	164	0.0	164	15.2 28.7
15 - 19 Years	149	10.1	149	0.7	149	16.8 25.5
Total	923	6.9	923	1.6	923	16.3 21.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	19	*	19	*	19	*
9 - 11 Years	15	*	15	*	15	*
12 - 14 years	21	*	21	*	21	*
15 - 19 Years	29	*	29	*	29	*
Total	84	*	84	*	84	*
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	2	*	2	*	2	*
Total	3	*	3	*	3	*
Hispanic						
5 - 8 Years	13	*	13	*	13	*
9 - 11 Years	6	*	6	*	6	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	4	*	4	*	4	*
Total	26	*	26	*	26	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaskan Native							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	*
Asian							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
Pacific Islander							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Filipino							
5 - 8 Years	0	*	0	*	0	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	0	*	0	*	0	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	0	*	0	*	0	*	*
All Other							
5 - 8 Years	9	*	9	*	9	*	*
9 - 11 Years	3	*	3	*	3	*	*
12 - 14 years	3	*	3	*	3	*	*
15 - 19 Years	2	*	2	*	2	*	*
Total	17	*	17	*	17	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	41	*	41	*	41	*
9 - 11 Years	25	*	25	*	25	*
12 - 14 years	29	*	29	*	29	*
15 - 19 Years	37	*	37	*	37	*
Total	132	9.1	132	0.8	132	13.6 19.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	460	4.1	460	5.0	460	12.8
9 - 11 Years	164	4.3	164	4.3	164	12.2
12 - 14 years	196	4.1	196	4.1	196	17.9
15 - 19 Years	164	6.1	164	3.0	164	21.3
Total	984	4.5	984	4.4	984	15.1
Black, Not Hispanic						
5 - 8 Years	70	*	70	*	70	*
9 - 11 Years	28	*	28	*	28	*
12 - 14 years	24	*	24	*	24	*
15 - 19 Years	39	*	39	*	39	*
Total	161	2.5	161	5.0	161	16.1
Hispanic						
5 - 8 Years	4,555	4.3	4,555	2.9	4,555	17.2
9 - 11 Years	2,167	3.3	2,167	1.7	2,167	19.2
12 - 14 years	2,066	5.6	2,066	1.6	2,066	20.2
15 - 19 Years	2,040	11.2	2,040	1.5	2,040	19.1
Total	10,828	5.6	10,828	2.2	10,828	18.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	30	*	30	*	30	*
9 - 11 Years	17	*	17	*	17	*
12 - 14 years	12	*	12	*	12	*
15 - 19 Years	8	*	8	*	8	*
Total	67	*	67	*	67	*
Asian						
5 - 8 Years	61	*	61	*	61	*
9 - 11 Years	26	*	26	*	26	*
12 - 14 years	37	*	37	*	37	*
15 - 19 Years	33	*	33	*	33	*
Total	157	16.6	157	5.1	157	15.3 15.9
Pacific Islander						
5 - 8 Years	2	*	2	*	2	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	1	*	1	*	1	*
Total	4	*	4	*	4	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number 85th - <95th	% ≥95th
Filipino						
5 - 8 Years	13	*	13	*	13	*
9 - 11 Years	7	*	7	*	7	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	11	*	11	*	11	*
Total	34	*	34	*	34	*
All Other						
5 - 8 Years	517	4.4	517	4.8	517	19.0
9 - 11 Years	209	4.8	209	3.3	209	29.7
12 - 14 years	183	9.3	183	2.2	183	24.6
15 - 19 Years	151	9.3	151	2.0	151	27.2
Total	1,060	6.0	1,060	3.7	1,060	23.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	5,708	4.3	5,708	3.3	5,708	16.7	20.7
9 - 11 Years	2,618	3.7	2,618	2.0	2,618	18.6	29.3
12 - 14 years	2,522	5.9	2,522	1.9	2,522	19.5	27.9
15 - 19 Years	2,447	10.8	2,447	1.9	2,447	19.0	23.5
Total	13,295	5.7	13,295	2.5	13,295	18.0	24.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	16	*	16	*	16	*
9 - 11 Years	8	*	8	*	8	*
12 - 14 years	5	*	5	*	5	*
15 - 19 Years	10	*	10	*	10	*
Total	39	*	39	*	39	*
Black, Not Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Hispanic						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	1	*	1	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
Asian						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	1	*	1	*	1	*
Pacific Islander						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*
All Other						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	0	*	0	*	0	*
Total	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	16	*	16	*	16	*
9 - 11 Years	8	*	8	*	8	*
12 - 14 years	5	*	5	*	5	*
15 - 19 Years	12	*	12	*	12	*
Total	41	*	41	*	41	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	182	6.6	182	2.2	182	17.6 12.6
9 - 11 Years	81	*	81	*	81	* *
12 - 14 years	120	11.7	120	3.3	120	11.7 29.2
15 - 19 Years	132	6.8	132	3.8	132	22.7 20.5
Total	515	7.0	515	2.7	515	18.3 21.0
Black, Not Hispanic						
5 - 8 Years	22	*	22	*	22	* *
9 - 11 Years	15	*	15	*	15	* *
12 - 14 years	19	*	19	*	19	* *
15 - 19 Years	29	*	29	*	29	* *
Total	85	*	85	*	85	* *
Hispanic						
5 - 8 Years	2,615	5.0	2,615	2.5	2,615	18.5 22.5
9 - 11 Years	1,194	3.7	1,194	2.6	1,194	21.2 27.1
12 - 14 years	1,180	6.3	1,180	2.5	1,180	20.6 24.3
15 - 19 Years	1,080	11.3	1,080	2.0	1,080	20.3 20.6
Total	6,069	6.1	6,069	2.4	6,069	19.7 23.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	5	*	5	*	5	*
Total	10	*	10	*	10	*
Asian						
5 - 8 Years	9	*	9	*	9	*
9 - 11 Years	10	*	10	*	10	*
12 - 14 years	10	*	10	*	10	*
15 - 19 Years	16	*	16	*	16	*
Total	45	*	45	*	45	*
Pacific Islander						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	2	*	2	*	2	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	1	*	1	*	1	*
Total	12	*	12	*	12	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	7	*	7	*	7	*
9 - 11 Years	3	*	3	*	3	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	1	*	1	*	1	*
Total	13	*	13	*	13	*
All Other						
5 - 8 Years	180	6.1	180	1.1	180	15.6
9 - 11 Years	87	*	87	*	87	*
12 - 14 years	80	*	80	*	80	*
15 - 19 Years	69	*	69	*	69	*
Total	416	7.5	416	1.9	416	17.1 23.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
Total All Race/Ethnic Groups							
5 - 8 Years	3,023	5.2	3,023	2.4	3,023	18.2	21.6
9 - 11 Years	1,394	3.7	1,394	2.5	1,394	20.4	27.8
12 - 14 years	1,415	6.9	1,415	2.6	1,415	19.9	24.9
15 - 19 Years	1,333	11.1	1,333	2.1	1,333	20.6	20.1
Total	7,165	6.3	7,165	2.4	7,165	19.4	23.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	112	5.4	112	2.7	112	17.0 18.8
9 - 11 Years	67	*	67	*	67	* *
12 - 14 years	97	*	97	*	97	* *
15 - 19 Years	86	*	86	*	86	* *
Total	362	5.5	362	3.0	362	16.6 20.7
Black, Not Hispanic						
5 - 8 Years	25	*	25	*	25	* *
9 - 11 Years	12	*	12	*	12	* *
12 - 14 years	15	*	15	*	15	* *
15 - 19 Years	25	*	25	*	25	* *
Total	77	*	77	*	77	* *
Hispanic						
5 - 8 Years	423	6.1	423	2.4	423	17.3 27.7
9 - 11 Years	187	4.3	187	1.1	187	18.2 33.2
12 - 14 years	177	5.6	177	1.7	177	20.9 28.8
15 - 19 Years	151	11.3	151	0.7	151	19.9 23.2
Total	938	6.5	938	1.7	938	18.6 28.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4)		Underweight (5)		Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% 85th - <95th	% ≥95th
American Indian/Alaskan Native							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	1	*	1	*	1	*	*
12 - 14 years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	3	*	3	*	3	*	*
Asian							
5 - 8 Years	13	*	13	*	13	*	*
9 - 11 Years	4	*	4	*	4	*	*
12 - 14 years	5	*	5	*	5	*	*
15 - 19 Years	17	*	17	*	17	*	*
Total	39	*	39	*	39	*	*
Pacific Islander							
5 - 8 Years	1	*	1	*	1	*	*
9 - 11 Years	0	*	0	*	0	*	*
12 - 14 years	1	*	1	*	1	*	*
15 - 19 Years	0	*	0	*	0	*	*
Total	2	*	2	*	2	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	0	*	0	*	0	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	2	*	2	*	2	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*
All Other						
5 - 8 Years	209	4.8	209	3.8	209	18.2
9 - 11 Years	106	5.7	106	2.8	106	22.6
12 - 14 years	100	7.0	100	3.0	100	13.0
15 - 19 Years	89	*	89	*	89	*
Total	504	6.2	504	3.4	504	17.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	784	5.5	784	2.8	784	18.4 21.7
9 - 11 Years	377	5.3	377	1.6	377	18.3 27.9
12 - 14 years	398	6.0	398	2.5	398	16.8 25.9
15 - 19 Years	369	9.5	369	2.2	369	20.6 23.0
Total	1,928	6.3	1,928	2.4	1,928	18.5 24.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 1
Run Date: 6/3/2009

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
White, Not Hispanic						
5 - 8 Years	168	8.9	168	3.0	168	16.7 13.7
9 - 11 Years	55	*	55	*	55	* *
12 - 14 years	60	*	60	*	60	* *
15 - 19 Years	45	*	45	*	45	* *
Total	328	7.0	328	2.1	328	19.5 16.5
Black, Not Hispanic						
5 - 8 Years	15	*	15	*	15	* *
9 - 11 Years	7	*	7	*	7	* *
12 - 14 years	7	*	7	*	7	* *
15 - 19 Years	6	*	6	*	6	* *
Total	35	*	35	*	35	* *
Hispanic						
5 - 8 Years	152	1.3	152	2.6	152	22.4 21.1
9 - 11 Years	88	*	88	*	88	* *
12 - 14 years	71	*	71	*	71	* *
15 - 19 Years	54	*	54	*	54	* *
Total	365	4.1	365	2.2	365	20.8 23.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 2
Run Date: 6/3/2009

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
American Indian/Alaskan Native						
5 - 8 Years	3	*	3	*	3	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	3	*	3	*	3	*
15 - 19 Years	2	*	2	*	2	*
Total	9	*	9	*	9	*
Asian						
5 - 8 Years	15	*	15	*	15	*
9 - 11 Years	9	*	9	*	9	*
12 - 14 years	8	*	8	*	8	*
15 - 19 Years	6	*	6	*	6	*
Total	38	*	38	*	38	*
Pacific Islander						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	0	*	0	*	0	*
12 - 14 years	1	*	1	*	1	*
15 - 19 Years	0	*	0	*	0	*
Total	2	*	2	*	2	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 3
Run Date: 6/3/2009

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Filipino						
5 - 8 Years	1	*	1	*	1	*
9 - 11 Years	1	*	1	*	1	*
12 - 14 years	0	*	0	*	0	*
15 - 19 Years	1	*	1	*	1	*
Total	3	*	3	*	3	*
All Other						
5 - 8 Years	65	*	65	*	65	*
9 - 11 Years	40	*	40	*	40	*
12 - 14 years	17	*	17	*	17	*
15 - 19 Years	24	*	24	*	24	*
Total	146	6.2	146	3.4	146	17.1 15.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years ⁽²⁾

Page: 4
Run Date: 6/3/2009

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾						
	Short Stature (4)		Underweight (5)		Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% 85th - <95th % ≥95th
Total All Race/Ethnic Groups						
5 - 8 Years	420	5.2	420	3.3	420	17.9 17.1
9 - 11 Years	201	5.5	201	1.5	201	19.4 19.9
12 - 14 years	167	6.0	167	0.0	167	19.8 27.5
15 - 19 Years	138	11.6	138	2.9	138	21.0 20.3
Total	926	6.4	926	2.3	926	19.0 20.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for height-for-age.

(5) Based on 2000 CDC growth chart percentiles for BMI-for-age. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.